

Renault MEGANE

Hatch and Sport Tourer





New and definitely improved

Life never stands still. And nor do we. That's why we've made a few important improvements to make our range even better.

We've streamlined our range, making sure all our models are even more stylish and packed with essential features. Simply choose from three trim levels: Play, Iconic or GT Line to find your perfect pick.

Our new MY18 EasyLife range is available to buy now. But if you've got your heart set on one of our existing models, don't worry: they're still available to buy too.

The end result is that a new Renault is even harder to resist. But don't take our word for it, try one today.

Contents

The Mégane Range

Choose your Mégane

Key Information

Technical Talk

The EasyLife Range

Choose your Mégane MY18

Key information MY18

Technical Talk MY18

Renault Services

Shot of adrenalin

Elegant forms, classy lines, uncompromising choices, Renault Mégane has a daring expressive design and assertive style. Inspired, strengthened by a unique lighting signature, Renault Mégane invites you to get behind the wheel and rediscover real sensations. Adrenalin guaranteed.











Strong emotions

Renault Mégane is recognisable as soon as you look at it. Its daytime running lights with LED technology give it a sharp look. The rear lights, also LED and with 3D effect, highlight its unique personality, day and night. The 18" DAYTONA diamond-cut wheel rims impose their style. Sporty, striking, feisty. (GT version only)





Unique driving pleasure

Dynamic environment, perfect driving position, aluminium sports pedals*, the pleasure of driving Renault Mégane is fully expressed. Boosted by 4CONTROL technology*, the 4-wheel steering provides unique agility and responsiveness. Curves, bends, hairpin bends... trajectories are precise and agility is impressive. Passion changes dimension.



The power of choice


Inside, the key words are quality and harmony. Generous cockpit, perfect finish, pleasure also involves the comfort of choice. You choose and Mégane adapts: "Eco"*, "Comfort", "Neutral", "Sport", "Personal", the MULTI-SENSE system configures your vehicle to meet your current desires. It controls both technical configurations (engine response, gear changes, variation in steering wheel effort, engine sound, 4CONTROL** responsiveness) and on-board environment (tone of interior lighting, information displayed, colour of instruments). Is your mood sporty? Calm? Relaxed? Move from one driving experience to another. MULTI-SENSE, it's a bit like having several Méganes in one!

- * Not available on Mégane GT
- ** Only available on Mégane GT









Intuitive technology

Central to the Mégane technology is an 8.7" portrait touchscreen* - one of the largest in its class. It's a capacitive touchscreen, which means it's easy to use. Simply drag, pinch, or swipe to navigate the same way you would a tablet or smartphone. After all, good technology makes life simpler, not more complicated.

The Mégane allows you to to customise a home screen by choosing the size and position of the maps, radio, favourite contacts, navigation and more. Voice control activated from the steering wheel provides even greater ease of use and safety while driving.

Take advantage of compatibility with Android Auto[™] and Apple CarPlay[™]. You can now access selected smartphone apps[^] from the R-Link 2 touchscreen multimedia system.

And when you have created the interior ambience to match your mood, thanks to the MULTI-SENSE system[†], engage the rich, acoustic experience delivered via the BOSE[®] premium sound audio system[‡].

7 high-performance speakers‡ create your own personal concert hall. High notes are crystal clear and the deep bass is delivered without distortion. It's a complete, immersive experience controlled via the touchscreen tablet or steering wheel controls.

^{*} Standard from Dynamique S Nav and above. Optional on GT-Line and Dynamique Nav

[†] Standard from Dynamique Nav

[‡] Optional from Dynamique Nav

[^] Compatibility: An Android phone running Android 5.0 (Lollipop), an iPhone no earlier than iPhone 5 & iOS7.1. Connecting a smartphone to access Android Auto" and Apple CarPlay" should only be done when the vehicle is safely parked. Drivers should only use the system when it is safe to do so and in compliance with the requirements of The Highway Code. Drivers should be aware of the potential of hands-free technology to distract a driver's attention from the road, preventing them from having full control of the vehicle.









Explore the pleasure of MULTI-SENSE

Exclusively fitted with the MULTI-SENSE system[†], Renault Mégane adapts the behaviour of your vehicle to your mood. Five modes for five unique driving experiences.







In Neutral Mode, Mégane adapts to a more relaxing atmosphere and allows you to enjoy the air conditioning at its full capacity. The 4CONTROL system** is active and the engine response is standard

In **Eco Mode***, you can make use of the energy-saving eco mode which reduces the steering wheel effort, the engine response, the EDC calibration and the air conditioning capacity.

In Comfort Mode, the steering effort is still low but the engine response is improved and the 4CONTROL system** is active. You can use the air conditioning at its full capacity and the engine sound is enhanced.



In **Sport Mode**, you use all the features at their full capacity for a sportiest driving experience. The acceleration of the vehicle is quicker, the EDC gear-box ratios are reduced and the 4CONTROL system** generates a sensational sporting responsiveness for increased agility or stability. The steering gets heavier for more precise control.




In Perso Mode, you are free to choose the level of each feature to configure your vehicle to meet your current desires.

Enjoy this immersive light experience, whether in blue, red, green, sepia or purple, with the customisable digital dashboard featuring the most relevant driving information.

^{*} Not available on Mégane GT ** Only available on Mégane GT †Available from Dynamique Nav and above

4CONTROL, exemplary road-holding

With its 4-wheel steering chassis, the Renault Mégane GT is precise and easy to handle. Thanks to 4CONTROL, you can negotiate the most difficult bends with full peace of mind. Road-holding is optimised, grip is incredible. Combined with MULTI-SENSE, driving becomes a precision operation. Renault Mégane and the road become one, you and Mégane become one.



At low speeds, the 4CONTROL system turns the rear wheels in the opposite direction to the front wheels.

Above 37 mph*, the rear wheels turn in the same direction as the front wheels.


Increased safety

Drive with peace of mind! Renault Mégane is equipped with several driving assistance systems. Using intuitive and intelligent technologies, they support you on all your journeys, giving you day-to-day peace of mind.



Traffic sign recognition (1)

There are more and more road signs. It's not easy to catch every sign; let the camera handle it for you. If you exceed the authorised speed limit, a warning appears on the dashboard. All you have to do is adapt your driving.




Blind spot warning (3)

Expand your vision! New Renault Mégane is equipped with a system which detects the presence of any vehicle in the zone that your wing mirrors do not allow you to see. Active between 19 mph and 87 mph, the system alerts you straight away with a warning light.



Hands free parking (3)

Parallel parking with a flick of the wrist! Hands free parking helps you to identify the parking space configuration (parallel, diagonal or perpendicular), measures the available space and handles the manoeuvre. All you have to do is control the accelerator, brakes and gears. A genuine co-pilot by your side!



Adaptive cruise control (3)

Easily maintain the appropriate safe following distance between you and the vehicle in front. In order to adapt your speed, the adaptive cruise control is activated at between 31 mph and 87 mph. The system acts on the brakes when the distance is too short and on the accelerator when the road is clear again.



Active emergency braking system: (2)

This system alerts the driver if there is a risk of collision with the vehicle in front. If the driver reacts insufficiently or not at all, the brakes are activated to prevent or mitigate a collision.



Auto high/low beam: (1)

High beam automatically switches to low beam when the front camera detects other vehicles around and automatically switches back to high beam when nothing is detected around.



Lane departure warning: (1)

This system detects the lane in front of the vehicle with a camera and warns the driver audibly if they drift into another lane .



Safe distance warning: (2)

This system warns the driver about potential collision with another vehicle in front, if the distance between the vehicles is not safe.



Engines

Renault capitalises on know-how forged in competition to improve further the engines of Renault Mégane.



ENERGY TCe 205 Strong sensations

The most powerful engine offered, the TCe 205, with EDC 7-speed automatic gearbox with dual clutch transmission, provides sporty pick-ups and clean acceleration. It gives strong sensations and allows you to use Launch Control (significantly faster "standing start" function) and Multi Changedown (accelerated multi-downshift), two custom technologies developed by Renault Sport. TCe 205 GT: 47.1 mpg and 134 g/km* of CO₂

ENERGY dCi 110 The highest level of efficiency

The dCi 110 engine guarantees the lowest carbon footprint in the entire range. Its technological innovations, such as Stop & Start or the use of steel pistons, offer CO₂ emissions and fuel economy which are amongst the lowest in the segment: only 72.4 mpg in NEDC* cycle and 96g/km* of CO₂!

ENERGY TCe 130 Absolute performance and comfort

Capable of 130 hp at 5,500 rpm and 205 Nm from 2,000 rpm, the TCe 130 engine offers you the same performance as a 2 litre atmospheric engine! Its direct injection and integrated turbocharger give it exceptional flexibility and responsiveness. Its capacity to operate at high speed without running out of energy gives you comfort and driving pleasure that are second-to-none. It is very quiet, and can be distinguished by its soft-edged sound. TCe 130: 51.4 mpg and $120\,\mathrm{g/km^*}$ of CO_2

EDC Dual - Clutch gearbox

Full of technology, the EDC automatic gearbox with dual clutch transmission combines the comfort of an automatic gearbox with the responsiveness and fuel economy of a manual gearbox. With its 6 or 7 gears, depending on the engine chosen, it offers you flexibility, dynamism and reduced fuel consumption. What more could you ask?

^{*}Figures are obtained for comparative purposes in accordance with EU Legislation and may not reflect real life driving results

Standard features

EXPRESSION+





DAKOTA - 16" alloy wheels





Carbon Black cloth upholstery

SAFETY & SECURITY

- ABS with EBD (Electronic Brake Distribution) and Emergency Brake Assist
- Airbag front passenger deactivation facility
- Airbags driver and front passenger two stage auto-adaptive
- Anti-drill door locks and ignition barrel
- Cruise Control and Speed limiter
- · Deadlocking & immobiliser
- Eco mode
- ESP (Electronic Stability Programme) with ASR (Anti-Skid Regulation) and UCL (understeer logic control)
- Front fog lights
- Hill start assist
- Headrests Front Two height adjustable headrests
- Headrests Rear Three height adjustable headrests
- Insurance approved alarm (Thatcham category 1)
- ISOFIX points on outer rear seats

- LED DRL Daytime running lights
- Manual hand brake
- R.A.I.D. (Renault Anti Intruder Device) -Automatic locking of the doors & boot over 6mph
- Tyre Inflation Kit
- Tyre Pressure Monitor

EXTERIOR

- DAKOTA 16" alloy wheels
- Door handles body coloured
- Door mirrors Body coloured shell

INTERIOR

- Carbon Black cloth upholstery
- Central rear armrest with cup holder
- Front centre armrest with storage
- Heated rear screen
- Seats 3-seat rear bench
- Seats rear 60:40 split folding
- Tinted windows

COMFORT AND CONVENIENCE

- Bluetooth Connectivity
- Fingertip audio system remote control
- Electric front & rear windows
- Exterior temperature indicator
- · Halogen headlights
- Lights boot, front footwell and rear door lighting
- Manual air conditioning
- Seat Driver height and lumbar adjustable
- Seat Passenger height and lumbar adjustable
- Socket Front 12v socket
- Steering wheel power assisted, height, rake and reach adjustable

CONNECTIVITY & SOUND SYSTEM

 FM/AM/DAB tuner, 4x20W speakers, Bluetooth^{®*} audio streaming and hands-free calls, USB and AUX sockets



Standard features

DYNAMIQUE NAV (additional equipment to Expression+)





DAKOTA - 16" alloy wheels



Carbon Black synthetic leather and cloth upholstery





SAFETY & SECURITY

- Automatic headlights and windscreen wipers
- Electronic parking brake
- Rear Parking sensors
- Visio system (lane departure warning, traffic sign recognition, automatic high/low beam)

EXTERIOR

• Door mirrors - Electrically adjustable, heated and folding

INTERIOR

- Carbon Black synthetic leather and cloth upholstery
- Digital speedometer (7" TFT screen)

COMFORT AND CONVENIENCE

- Automatic Dual Zone Climate control
- Hands free keycard
- Multisense system Ambient lighting and driving mode selector
- Sun visor with illuminating mirror

CONNECTIVITY & SOUND SYSTEM

- Compatible with Apple CarPlay[™] & Android Auto[™] ^
- R-Link 2 multimedia system:
 7" touchscreen, TomTom® LIVE services with Western European mapping,
 FM/AM/DAB tuner, Bluetooth®* audio streaming and hands-free calls,
 USB and AUX sockets, voice control, vehicle applications
- Arkamys 3D Sound 4 X 35W DAB Radio with Bluetooth®* and USB connection

DYNAMIQUE S NAV (additional equipment to Dynamique Nav)





FLORIDA - 17" diamond cut alloy wheels



Carbon Black synthetic leather and cloth upholstery



SAFETY & SECURITY

 Rear parking camera with front & rear parking sensors

EXTERIOR

• FLORIDA - 17" diamond cut alloy wheels

INTERIOR

• Windows - extra tinted rear and tailgate

COMFORT AND CONVENIENCE

- Compatible with Apple CarPlay[™] & Android Auto[™] ^
- 8.7" touchscreen, TomTom® LIVE services with Western European mapping, FM/AM/DAB tuner, Bluetooth®* audio streaming and hands-free calls, USB and AUX sockets, voice control, vehicle applications

n

Standard features


SIGNATURE NAV (additional equipment to Dynamique S Nav)





CALIFORNIA - 18" diamond cut alloy wheels









EXTERIOR

- CALIFORNIA 18" diamond cut alloy wheels
- Full LED headlights

INTERIOR

- Black leather upholstery
- Auto-dimming rear-view mirror

COMFORT AND CONVENIENCE


Nappa leather steering wheel

Standard features

GT LINE NAV (additional equipment to Dynamique Nav)









Black cloth upholstery with silver stripes





EXTERIOR

- Door mirrors dark chrome shell
- Front body coloured GT bumper
- No fog lights
- Rear body coloured GT bumper with silver diffuser
- SEBRING 17" alloys wheels

INTERIOR

- Black cloth upholstery with silver stripes
- Chrome door sill plates 'GT Line'
- Sport seats with integrated headrest
- Windows extra tinted rear and tailgate

GT NAV (additional equipment to GT Line Nav)





DAYTONA - 18" diamond cut alloy wheels









SAFETY & SECURITY

 Rear parking camera with front & rear parking sensors

EXTERIOR

- DAYTONA 18" diamond cut alloy wheels
- Full LED headlights

TECHNOLOGY

• 4CONTROL: 4 wheel-steering technology

INTERIOR

- Chrome door sill plates 'Renault Sport'
- · Auto-dimming rear-view mirror

COMFORT & CONVENIENCE

- Compatible with Apple CarPlay[™] & Android Auto[™] ∧
- 8.7" touchscreen, TomTom® LIVE services with Western European mapping, FM/AM/DAB tuner, Bluetooth®* audio streaming and hands-free calls, USB and AUX sockets, voice control, vehicle applications

Colours





GLACIER WHITE (1) 369



ARCTIC WHITE (3) QNC



MERCURY (2) D69



DUNE (2) HNP



DIAMOND BLACK (2) GNE



TITANIUM GREY (2) KPN



FLAME RED (3) NNP



COSMOS BLUE (2) RPR



STEEL BLUE (2) RQE



IRON BLUE (3) RQH

- (1) Non metallic paint
- (2) Metallic paint
- (3) Renault i.d. metallic paint

	Glacier White (369)	Arctic White (QNC)	Mercury (D69)	Dune (HNP)	Diamond Black (GNE)	Titanium Grey (KPN)	Flame Red (NNP)	Cosmos Blue (RPR)	Steel Blue (RQE)	Iron Blue (RQH)
Expression+	•	0	0	0	0	0	0	0	0	-
Dynamique Nav	•	0	0	0	0	0	0	0	0	-
Dynamique S Nav	•	0	0	0	0	0	0	0	0	-
Signature Nav	•	0	0	0	0	0	0	0	0	-
GT-Line Nav	•	0	0	-	0	0	0	-	0	0
GT Nav	•	0	0	-	0	0	0	-	0	0

^{• =} Standard (therefore no cost) O= Optional - = Not available. It should be noted that printing limitations do not permit the subtle paintwork shades on these pages to be shown with absolute accuracy.









FLORIDA



SEBRING



NEVADA



CALIFORNIA



DAYTONA

	Expression+	Dynamique Nav	Dynamique S Nav	Signature Nav	GT Line Nav	GT Nav
DAKOTA - 16" alloy wheels	•	•	0	-	-	-
NEVADA - 17" alloy wheels	0*	=	-	-	-	-
FLORIDA - 17" diamond cut alloy wheels	-	O**	•	-	-	-
CALIFORNIA - 18" diamond cut alloy wheels	-	-	0	•	0	-
SEBRING - 17" alloy wheels	-	-	-	-	•	-
DAYTONA - 18" diamond cut alloy wheels	-	-	-	-	-	•

^{• =} Standard (therefore no cost) O = Optional - = Not available * Part of the Look Pack ** Part of the Look Pack Premium



Upholstery



CARBON BLACK CLOTH UPHOLSTERY



CARBON BLACK SYNTHETIC LEATHER AND CLOTH UPHOLSTERY



BLACK LEATHER UPHOLSTERY



BLACK CLOTH UPHOLSTERY WITH SILVER STRIPES



ALCANTARA PACK - GREY ALCANTARA UPHOLSTERY WITH BLUE STITCHING



ALCANTARA PACK + - TWO TONE BLUE AND GREY ALCANTARA UPHOLSTERY

Carbon Black cloth upholstery
Carbon Black synthetic leather and cloth upholstery
Black leather upholstery
Black cloth upholstery with silver stripes
Alcantara Pack - Grey alcantara upholstery with blue stitching and heated front seats
Alcantara Pack + - Two tone blue and grey alcantara upholstery and heated front seats

	Expression+	Dynamique Nav	Dynamique S Nav	Signature Nav	GT Line Nav	GT Nav	
-	•	-	-	-	-	-	_
	=	•	•	-	-	-	_
-	-	-	0	•	-	-	_
	-	-	-	-	•	•	_
:s	-	-	-	-	<u>-</u>	0	
ats	-	-	-	-	0	0	

Accessory Packs:

Experience your Mégane to the max with our accessory packages*

ROOF BOX URBAN LOADER (500L)

STANDARD BOOT LINER

STYLING PACK (CARBON LOOK)**







ALL-IN-ONE BOOT LINER

ROOF BARS





Includes front and rear spoilers, side skirts, fog light add-ons.

INDIVIDUAL ACCESSORIES

All-In One Boot Liner	Mud flaps
Front parking sensors	Retractable tow bar
Illuminated door sills	Rim bands

Roof bars	5
Rubber n	nats
Sport pe	dals

Standard Boot Liner
Wind deflectors
Swan neck tow bar

For prices, please refer to the Renault Car Price Guide available at your local dealer and on www.renault.co.uk.

SEPARATION GRILLE



RETRACTABLE TOW BAR



DASHCAM



ILLUMINATED DOOR SILLS



SPORT PEDALS



The Kenwood DRV-410 Dash Cam is a great addition for your added security and reassurance on the road. The on-board camera automatically starts recording as sson as the vehicle ignition is switched on. As video footage is now widely accepted and used for insurance claims, the dashcam is designed to give drivers peace of mind. The pack includes a GPS integrated dashboard camera with advanced driver assistance systems (ADAS) built-in and has full HD recording at 27 frames/sec.

ACCESSORY PACK

Pet Pack (Partition Grille, All-in-One Bootliner, Dog Water Bottle)
Elegance Pack (Illuminated door sills, sport pedals)

Leather interiors

The luxury of Leather

A luxurious leather interior complements the look and feel of the Renault Mégane. From the moment you open the door, experience the opulent styling and unmistakable aroma of real leather allowing you to enjoy the ultimate in style and exclusivity. The finest, hand selected hides are carefully crafted and fitted to all the front and rear seating, along with the door and central armrest. Enjoy the durability and supreme comfort of a luxury leather interior that matures, beautifies and shrugs off the wear and tear of everyday life.

Leather quality

Our designers use only the finest premium automotive grade hides that have been carefully hand selected for consistency of grain, tone and texture. The latest technology is then used to precision cut and stitch the leather for a supreme finish that will stand the rigours of time.

Content of the kit

The Leather Interior pack includes leather on front and rear seats and headrests, front central armrest and door inserts.

Choice of colours, colour of stitching

Choose between Midnight Blue, Saddle Brown, Dark Red or Cream Beige. The colours are brightened up by white stitching.

Artisan Leather Interior

You can take the personalisation of your Renault Mégane to the next level by selecting a colour or design from our premium Artisan range. Incorporating colours from the bespoke Artisan range along with a wide range of contrasting stitch colours gives you the opportunity to ensure that your Renault Mégane has its own individual style and character.

Availability

Leather interior is available only on Mégane Hatch, Expression+, GT Line Nav and GT Nav excluded



BODY COLOURS

		Glacier White	Arctic White	Mercury	Dune	Titanium	Diamond Black	Cosmos Blue	Flame Red	Steel Blue
RS	Dark Red	✓	✓	✓	✓	✓	✓	✓	×	✓
밀	Cream Beige	×	×	×	✓	✓	✓	✓	✓	✓
A	Midnight Blue	✓	✓	✓	✓	✓	✓	✓	✓	✓
Щ	Saddle Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓



Equipment and options



	EXPRESSION+	DYNAMIQUE NAV	DYNAMIQUE S NAV	SIGNATURE NAV	GT LINE NAV	GT NAV
SAFETY AND DRIVING ASSISTANCE						
SAFETY						
ABS with EBD (Electronic Brake Distribution) and Emergency Brake Assist	•	•	•	•	•	•
ĀĒBS	-	0	0	0	0	0
Airbags - Curtain front and rear	•	•	•	•	•	•
Airbags - Deactivation of front passenger (for use with child seats)	•	•	•	•	•	•
Airbags - Driver's two stage auto -adaptive	•	•	•	•	•	•
Airbags - Front lateral	•	•	•	•	•	•
Airbags - Front passenger's two stage adaptive airbag Anti-drill door locks and ignition barrel	•	•	•	•	•	.
Automatic headlights and windscreen wipers	0	•	•	 	.	-
Blind spot warning	-	-	0		0	-
Cruise control with speed limiter	•	•	•	•	•	•
Electronic parking brake	-	•	•	•	•	•
ESP (Electronic Stability Programme) with ASR (Anti-Skid Regulation) and UCL (understeer logic control)	•	•	•	•	•	•
Front Fog lights	•	•	•	•	-	-
Front and rear towing rings	•	•	•	•	•	•
Full LED headlights	-	-	0	•	0	•
Halogen headlights	•	•	•		•	-
Hands free parking Hill Start Assist	-	<u>-</u>	<u> </u>	<u>0</u>	<u> </u>	<u> </u>
Insurance approved (Category 1) alarm system and immobiliser	•	•	•	•	•	<u> </u>
ISOFIX child seat anchorage points on rear outer seats	•	•	•		•	·
LED DRL - Daytime running lights	•	•	•	•	•	•
Power assisted steering	•	•	•	•	•	•
R.A.I.D. (Renault.Anti.Intruder.Device) auto closure >6mph	•	•	•	•	•	•
Rear Parking sensors	-	•	•	•	•	•
Rear parking camera with front and rear parking sensors	-	0	•	•	0	•
Seats - height adjustable front seatbelts with double pretensioners	•	•	•	•	•	•
Space-saving spare wheel	-	-	0	0	0	0
Tyre Inflation Kit	•	•	•	•	•	•
Tyre Pressure Monitor	•	•	•	•	•	•
Visio System (lane departure warning, traffic sign recognition, automatic high/low beam)	-	•	•	•	•	•
EXTERIOR DESIGN						
DAKOTA - 16" alloy wheels	•	•	0	-	-	-
NEVADA - 17" alloy wheels	O*	-	-	<u> </u>	-	-
FLORIDA - 17" diamond cut alloy wheels	-	O**	•	-	-	-
SEBRING - 17" diamond cut alloy wheels	-	-	-	-	•	-
CALIFORNIA - 18" diamond cut alloy wheels DAYTONA - 18" diamond cut alloy wheels	-	<u> </u>	0	•	0	-
Door mirrors - Body coloured shell	-		-		<u>-</u>	<u>•</u>
Door mirrors - Dark chrome shell	• -	<u> </u>	• •	•	•	<u> </u>
Door mirrors - Electrically adjustable, heated and folding		•	•	•	•	.
Front body coloured GT bumper	-	-	<u> </u>	<u>-</u>		•
Rear body coloured GT bumper	-	-	-	-	•	•
Sunroof	-	0	0	0	0	0
INTERIOR DESIGN						
WINDOWS						
Electric front windows	•	•	•	•	•	•
Electric rear windows	•	•	•	•	•	•
Heated rear screen Tinted windows	•	•	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Windows - extra tinted rear and tailgate	0	0	•	•	•	<u> </u>
SEATING	<u> </u>		<u> </u>	.		
3 height adjustable rear head restraints						
3-point inertia reel seatbelts	•	•	•	•	•	<u> </u>
3-seat rear bench	 	 	•	 		-
60:40 split folding seats	•	•	•	•	•	<u> </u>
Carbon Black cloth upholstery	•	<u> </u>	-			-
Carbon Black synthetic leather and cloth upholstery	-	•	•	-	-	-
Carbon Black synthetic leather and cloth upholstery	-	•	•	-	-	-

^{* =} Available as part of the Look Pack ** = Available as part of the Look Pack Premium



- ATULE COLUMN 11 FR		Direct indoctions	DINAMIQUESTAN	/ SIGNATURE NAV	GILINEINA	V GIN
EATING CONTINUED						
ack leather upholstery	-	-	0	•	-	
ack cloth upholstery with silver stripes	-	-	-	-	•	
cantara Pack - Grey alcantara upholstery with blue stitching and heated front seats	-	-	-	-	-	0
cantara Pack + - Two tone blue and grey alcantara upholstery and heated front seats iver - lumbar adjustable seat	-	-	-	-	0	0
iver - height and lumbar adjustable seat	•	•	•	•	•	
iver - neight and iombar adjustable seat. Ilv adjustable front headrests	•	•	•	•	•	
ight adjustable front seat belts	•	•	•			
ssenger - height adjustable seat	•	•	•	•	•	
		•	•			
TORAGE						
ont centre armrest with storage	•	•	•	•	•	
ASHBOARD						
ıylight/nightlight rearview mirror	•	•	•	-		-
splay - Digital speedometer (7" TFT screen)	•	•	•	•		
river and passenger seat belt undone" warning audible alert	•	•	•	•		
oor / Boot open" warning light	•	•	•	•	•	
to-dimming rear-view mirror	-	-	0	•	0	
erior temperature indicator	•	•	•	•	•	
w fuel level warning light	•	•	•	•	•	
level gauge	•	•	•	•	•	(
ar seat belt undone audible alert	•	•	•	•	•	
v-counter	•	<u> </u>	•	•	•	
p computer	•	•	•	•	•	(
PENINGS						
rome door sill plates - 'GT Line'	-	-	-	-	•	
rome door sill plates - 'Renault Sport'	-	-	-	-	-	
oor handles - body coloured	•	•	•	•	•	
/card - hands free	-	•	•	•	•	
chanical key	•	-	-	-	-	-
EATING AND VENTILATION						
tomatic Dual Zone climate control	0	•	•	•	•	
eated rear windscreen	•	•	•	<u>.</u>	•	
pating ducts to the feet of the rear passengers	•	•	•	•	•	
anual air-conditioning	•	-	-	-		
llen filter	•	•	•	•	•	
ITERIOR LIGHTING						
iver and front passenger reading lights	•	•	•	•	•	
minated luggage compartment (on opening of boot)		•	.	.		
erior courtesy light controlled by all 4 doors	•	•	•	•		
orlor coortesy right controlled by all 4 doors Ultisense system - Ambient lighting		<u>-</u>	•	•	•	
ar courtesy lights	•	<u>.</u>	•	•		
		<u> </u>	•			
OMFORT & MULTIMEDIA						
OMFORT						
cessory power point	•	•	•	•	•	
egrated fuel filler cap	.				<u>;</u>	
ather steering wheel	`		 	<u>-</u>	`	
nature Nappa leather steering wheel		<u>-</u>	<u>-</u>	•		
eering wheel - Rake and reach adjustable	•	•	•	<u>-</u>	•	
n visor with mirror without light	•	<u>-</u>	<u>-</u>			
n visor with mirror with light	-	•	•	•	•	
ULTIMEDIA						
35W speakers with 3D sound	-	•	•	•	•	
SE® Energy Efficient Sound System: 7 speakers with a digital amplifier	-	-	0	0	0	
gertip audio system remote control	•	•	•	•	•	
/AM/DAB tuner, 4x20W speakers, Bluetooth® audio streaming and hands-free calls, USB and AUX sockets	•	-	-	-	-	
mpatible with Apple CarPlay™ & Android Auto™^	-	•	•	•	•	
Link 2 multimedia system: 7" touchscreen, TomTom® LIVE services with Western European mapping, 1/AM/DAB tuner, Bluetooth® audio streaming and hands-free calls, USB and AUX sockets, voice control,						
ncile applications		•	•	•	•	•
Link 2 multimedia system: 8.7" touchscreen, TomTom® LIVE services with Western European mapping, 1/AM/DAB tuner, Bluetooth® audio streaming and hands-free calls, USB and AUX sockets, voice control,	_	0	•	•	0	

^{•=} Standard (therefore no cost) o = Optional -= Not available

^ Compatibility: An Android phone running Android 5.0 (Lollipop), an iPhone no earlier than iPhone 5 & iOS7.1. Connecting a smartphone to access Android Auto[™] and Apple CarPlay[™] should only be done when the vehicle is safely parked. Drivers should only use the system when it is safe to do so and in compliance with the requirements of The Highway Code. Drivers should be aware of the potential of hands-free technology to distract a driver's attention from the road, preventing them from having full control of the vehicle.

Key Information

For prices, please refer to the Renault Car Price Guide available at your local dealer and on www.renault.co.uk

HATCH VERSIONS	CO ₂ (g/km)*	VED Year 1	Combined fuel consumption (mpg)*	HP	Benefit in kind	Insurance group
Expression+ TCe 130	120	£165.00	52.3	130	23%	14E
Expression+ TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Expression+ dCi 110	96	£145.00	76.4	110	21%	15E
Expression+ dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
Dynamique Nav TCe 130	120	£165.00	52.3	130	23%	14E
Dynamique Nav TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Dynamique Nav dCi 110	96	£145.00	76.4	110	21%	15E
Dynamique Nav dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
Dynamique Nav dCi 130	104	£165.00	70.6	130	22%	19E
Dynamique S Nav TCe 130	120	£165.00	52.3	130	23%	14E
Dynamique S Nav TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Dynamique S Nav dCi 110	96	£145.00	76.4	110	21%	15E
Dynamique S Nav dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
Dynamique S Nav dCi 130	104	£165.00	70.6	130	22%	19E
Signature Nav TCe 130	124	£165.00	51.4	130	23%	15E
Signature Nav TCe 130 Auto EDC	125	£165.00	50.4	130	24%	15E
Signature Nav dCi 110	101	£165.00	72.4	110	22%	16E
Signature Nav dCi 110 Auto EDC	99	£145.00	74.3	110	21%	16E
Signature Nav dCi 130	106	£165.00	68.9	130	23%	19E
GT Line Nav TCe 130	120	£165.00	52.3	130	23%	14E
GT Line Nav TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
GT Line Nav dCi 110	96	£145.00	76.4	110	21%	16E
GT Line Nav dCi 110 Auto EDC	98	£145.00	74.3	110	21%	16E
GT Line Nav dCi 130	104	£165.00	70.6	130	22%	19E
GT Nav 205 Auto EDC	134	£205.00	47.1	205	25%	27E
GT Nav dCi 165 Auto EDC	120	£205.00	61.4	165	26%	23E

SPORT TOURER VERSIONS	CO ₂ (g/km)*	VED Year 1	Combined fuel consumption (mpg)*	НР	Benefit in kind	Insurance group
Expression+ TCe 130	120	£165.00	52.3	130	23%	14E
Expression+ TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Expression+ dCi 110	96	£145.00	76.4	110	21%	15E
Expression+ dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
Dynamique Nav TCe 130	120	£165.00	52.3	130	23%	14E
Dynamique Nav TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Dynamique Nav dCi 110	96	£145.00	76.4	110	21%	15E
Dynamique Nav dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
Dynamique Nav dCi 130	104	£165.00	70.6	130	22%	19E
Dynamique S Nav TCe 130	120	£165.00	52.3	130	23%	14E
Dynamique S Nav TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Dynamique S Nav dCi 110	96	£145.00	76.4	110	21%	15E
Dynamique S Nav dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
Dynamique S Nav dCi 130	104	£165.00	70.6	130	22%	19E
Signature Nav TCe 130	124	£165.00	51.4	130	23%	15E
Signature Nav TCe 130 Auto EDC	125	£165.00	50.4	130	24%	15E
Signature Nav dCi 110	101	£165.00	72.4	110	22%	16E
Signature Nav dCi 110 Auto EDC	99	£145.00	74.3	110	21%	16E
Signature Nav dCi 130	106	£165.00	68.9	130	23%	19E
GT Line Nav TCe 130	120	£165.00	52.3	130	23%	14E
GT Line Nav TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
GT Line Nav dCi 110	96	£145.00	76.4	110	21%	16E
GT Line Nav dCi 110 Auto EDC	98	£145.00	74.3	110	21%	16E
GT Line Nav dCi 130	104	£165.00	70.6	130	22%	19E
GT Nav 205 Auto EDC	134	£205.00	47.1	205	25%	27E
GT Nav dCi 165 Auto EDC	124	£205.00	60.1	165	26%	23E

^{*}Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site www.vca.gov.uk. For more information on CO₂ banding and Company Car Tax Benefit in Kind go to www.renault.co.uk

OPTIONS	Expression+	Dynamique Nav	Dynamique S Nav	Signature Nav	GT Line Nav	GT Nav
Metallic paint	0	0	0	0	0	0
Renault i.d metallic paint - Arctic White & Flame Red	0	0	0	0	0	0
Renault i.d metallic paint - Iron Blue	-	-	-	-	0	0
8.7" touchscreen R-Link 2	-	0	•	•	0	•
Full LED headlights	-	-	0	•	0	•
Opening sunroof	-	=	-	0	-	0
16" DAKOTA alloy wheels	•	•	0	-	-	-
18" CALIFORNIA diamond cut alloy wheels	-	=	0	•	0	-
Emergency spare wheel	0	0	0	0	0	-
Emergency spare wheel (space saver)	-	=	0	0	0	0
Safety net*	0	0	0	0	0	0

^{*} Only available on Megane Sport tourer

OPTION PACKS	Expression+	Dynamique Nav	Dynamique S Nav	Signature Nav	GT Line Nav	GT Nav
Climate Pack - Automatic Dual Zone climate control, automatic headlights and automatic rain sensitive windscreen wipers	0	-	-	-	-	-
Parking Pack - Front and rear parking sensors, Rear parking camera	-	0	•	•	0	•
Parking Pack Premium - Hands Free Parking, 360° parking sensors and Blind spot warning (comes with rear parking camera on GT Line Nav)	-	-	0	0	0	0
Safety Pack - Distance warning and AEBS	-	0	-	-	-	-
Safety Pack Premium - Adaptive cruise control, Distance warning and AEBS	-	=	0	0	0	0
Horizon Pack - Opening sunroof and Auto-dimming rear-view mirror	-	0	0	-	0	-
Leather Pack - Black leather upholstery	-	=	0	•	=	-
Alcantara Pack - Grey alcantara upholstery with blue stitching and heated front seats	-	-	-	-	-	0
Alcantara Pack + - Two tone blue and grey alcantara upholstery and heated front seats	-	-	-	-	0	0
Look Pack - 17" NEVADA alloy wheels and extra tinted windows	0	-	-	-	-	-
Look Pack Premium - 17" FLORIDA diamond cut alloy wheels and extra tinted windows	-	0	-	-	-	-
BOSE Pack - BOSE Sound system: 7 speakers with a digital amplifier	-	-	0	0	-	0
BOSE Pack GT Line - BOSE Sound system: 7 speakers with a digital amplifier and 8.7" touchscreen R-Link 2	-	-	-	-	0	-

^{• =} standard; o = optional; - = not available; † Not compatible with emergency spare wheel or space saver emergency spare wheel

EASYLIFE PACK

EasyLife Servicing Pack

For EasyLife Pack terms and conditions visit www.renault.co.uk/easylife.

				IF۹	

All-In One Boot Liner	Roof bars
Front parking sensors	Rubber mats
Illuminated door sills	Sport pedals
Mud flaps	Standard Boot Liner
Retractable tow bar	Wind deflectors
Rim bands	Swan neck tow bar


ACCESSORY PACK


Pet Pack (Partition Grille, All-in-One Bootliner, Dog Water Bottle)

Elegance Pack (Illuminated door sills, sport pedals)

Dimension diagrams







ВС	OOT VOLUME (LITRES)	натсн	SPORT TOURER
Tot	al boot volume VDA (dm3)	384	521
Tot	al boot volume (litres)	434	580
Tot	al boot volume with rear seats folded VDA (dm3)	1247	1504
Tot	al boot volume with rear seats folded (litres)	n/a	1695
DI	MENSIONED DRAWING (MM)		
Α	Overall length	4359	4626
В	Wheelbase	2669	2712
c	Front overhang	919	919
D	Rear overhang	771	995
E	Front track	1591	1591
F	Rear track	1586	1586
G	Overall width without door mirrors	1814	1814
G1	Overall width with door mirrors	2058	2058
Н	Unladen height	1447	1457*
H1	Height with tailgate open (unladen)	2044	2038
J	Unladen boot sill height	750	601
K	Ground clearance	145	N/A
L	Knee room in 2nd row	179	216
М	Front elbow width	1418	1492
M1	Rear elbow width	1420	1412
N	Front shoulder width	1441	1441
N1	Rear shoulder width	1390	1377
P	Front height under roof, seat in medium position	886	886
Q	Rear height under roof, seat in medium position	866	871
Υ	Upper boot entrance width / maximum boot width	904	854
Y1	Lower boot entrance	1081	1036
Y2	Interior width between wheel arches	1111	1109
Z 1	Max. loading length with rear bench seat folded down	1582	1754
Z2	Loading length behind rear seats	469	950

^{*}with roof bars

Technical Specifications - Hatch



Engine type FA Induction Capacity (cc) 11: 30re x Stroke 72.2 x Maximum power - kw ISO 9 Maximum power - hp DIN 13 Maximum power - hp DIN 13 Maximum Torque - Nm ISO 20 Maximum Torque - Nm ISO 20 Maximum Torque (rpm) 20 Euel Type Pet No. of Cylinders 4 No. of Valves PERFORMANCE 0-62 mph - secs (0-100 km/h) Maximum Speed mph (km/h) 122 (Standing 1000m in seconds 31 FUEL CONSUMPTION AND EMISSIONS CO, (g/km) (16" & 17" / 18") 120 / Jrban cycle - mpq (16" & 17" / 18") 21 / Jrban cycle - mpq (16" & 17" / 18") 22 / Start-urban cycle - mpq (16" & 17" / 18") 23 / Start-urban cycle - mpq (16" & 17" / 18") 54 / GeARBOX Number of forward gears Manual / Automatic BRAKING Iype of braking system ABS EBD Front Ø (mm) / width (mm) 280 SUSPENSION Front Rear Ø (mm) / width (mm) 280 SUSPENSION Front Rear Ø (mm) / width (mm) 280 SUSPENSION Front Rear STEERING Dower Assisted Furning Circle Between Kerbs (m) MHEELS - TYRES Standard Wheel Size in inches 16 / 1. WHEELS - TYRES Standard Wheel Size in inches 16 / 1.	6 ELC 9 F 8 1 73.1 72.2 9 1 10 5 5 2 10 2 10 Per ection Direct 6 1 97) 124 6 3 1124 122 40.9 41.5 6.9 6.8 6.01 60.1 4.7 4.7 51.4 52.3 5.5 5.4	7 (Auto) Ft 412 Fr 66 AP 198 8 × 73.1 97 30 05 000 05 000 etrol njection 4 16 0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	M5MT Euro 6 FAP 1618 79.7 x 81.1 151 205 6000 280 2400 Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	K9K 656 Euro 6 FAP 1461 76.0 x 80.5 81 110 4000 260 1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	K9K 657 Euro 6 FAP 1461 76.0 x 80.5 81 110 4000 250 1750 Diesel on Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.3 (74.3 / 74.3 3.8 / 3.8	R9M 409 Euro 6 FAP 1598 80.0 x 79.5 96 130 4000 320 1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	R9M 452 Euro 6 FAP 1598 80*79.5 120 165 4000 380 1750 Diesel Common Rail Injectio 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6 6 EDC (auto)
Ingine type	6 ELC 9 F 8 1 73.1 72.2 9 1 10 5 5 2 10 2 10 Per ection Direct 6 1 97) 124 6 3 1124 122 40.9 41.5 6.9 6.8 6.01 60.1 4.7 4.7 51.4 52.3 5.5 5.4	ro 6 AP 198 x 73.1 97 30 500 05 000 etrol injection 4 16 0.3 (199) 2.1 / 125 / 441.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	Euro 6 FAP 1618 79.7 x 81.1 151 205 6000 280 2400 Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	Euro 6 FAP 1461 76.0 x 80.5 81 110 4000 260 1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	Euro 6 FAP 1461 76.0 x 80.5 81 110 4000 250 1750 Diesel on Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	Euro 6 FAP 1598 80.0 x 79.5 96 130 4000 320 1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	Euro 6 FAP 1598 80*79.5 120 165 4000 380 1750 Diesel Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
A	F 8 1 73.1 72.2 70 1 70 5 75 2 70 2 70 2 70 2 70 2 70 2 70 2 70 2 70	AP	FAP 1618 79.7 x 81.1 151 205 6000 280 2400 Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	FAP 1461 76.0 x 80.5 81 110 4000 260 1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	FAP 1461 760 x 80.5 81 110 4000 250 1750 Diesel In Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	FAP 1598 80.0 x 79.5 96 130 4000 320 1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	FAP 1598 80*79.5 120 165 4000 380 1750 Diesel Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
duction Capacity (cc) 11: 7re x Stroke 72.2 x aximum power - kw ISO 9. aximum Power - hp DIN 13 aximum power - rpm 556 aximum Torque - Nm ISO 20 aximum Torque - Nm ISO 20 aximum Torque (rpm) 20 20 21 22 23 24 25 26 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	8 1 73.1 72.2 73.1 72.2 73.1 72.2 75.1 72.2 75.2 75.5 72 75.5 72 75.6 72 75.6 72 75.6 72 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7	198 x 73.1 97 30 500 05 500 etrol injection 4 16 0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 5.6	1618 79.7 x 81.1 151 205 6000 280 2400 Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	1461 76.0 x 80.5 81 110 4000 260 1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	1461 760 x 80.5 81 110 4000 250 1750 Diesel on Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	1598 80.0 x 79.5 96 130 4000 320 1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	1598 80*79.5 120 165 4000 380 1750 Diesel Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
Dire x Stroke	73.1 72.2 0 1 0 5 0 2 0 2 0 2 0 Pection Direct 6 1 97) 124 6 3 124 122 40.9 41.5 6.9 6.8 6.9 6.8 6.9 6.8 6.1 4.7 6.7 4.7 5.1.4 52.3	x 73.1 37 30 500 05 500 05 500 06 titrol injection 4 4 6 0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 5.6	79.7 x 81.1 151 205 6000 280 2400 Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	76.0 x 80.5 81 110 4000 260 1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	76.0 x 80.5 81 110 4000 250 1750 Diesel In Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	80.0 x 79.5 96 130 4000 320 1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	80*79.5 120 165 4000 380 1750 Diesel Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
aximum power - kw ISO aximum Power - hp DIN aximum power - tp DIN 13 aximum power - tp DIN 15 aximum Torque - Nm ISO 20 aximum Torque - Nm ISO 20 aximum Torque (rpm) 20 to If yell Type Pet jection type 0. of Cylinders 0. of Valves 11 ERFORMANCE 62 mph - secs (0-100 km/h) 122 (canding 1000m in seconds 31 UEL CONSUMPTION AND EMISSIONS' D; (g/km) (16" & 17" / 18") 120 / rban cycle - mpg (16" & 17" / 18") 42.2 / rban cycle - I/100 km (16" & 17" / 18") 42.2 / rban cycle - I/100 km (16" & 17" / 18") 45.4 / bran cycle - I/100 km (16" & 17" / 18") 52.3 / pombined cycle - mpg (16" & 17" / 18") 53.4 / bran cycle - I/100 km (16" & 17" / 18") 54.4 / bran cycle - I/100 km (16" & 17" / 18") 55.3 / bran bran cycle - I/100 km (16" & 17" / 18") 56.4 / bran cycle - I/100 km (16" & 17" / 18") 57.5 / bran brand cycle - I/100 km (16" & 17" / 18") 58.4 / brand cycle - I/100 km (16" & 17" / 18") 59.5 / brand cycle - I/100 km (16" & 17" / 18") 50.5 /	5 1 1 24 122 40.9 41.5 5.5 5.4 5.4	97 30 500 05 900 05 900 strol injection 4 16 0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4	151 205 6000 280 2400 Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	81 110 4000 260 1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	81 110 4000 250 1750 Diesel on Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	96 130 4000 320 1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	120 165 4000 380 1750 Diesel Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
Askimum Power - hp DIN 13 13 13 13 13 13 13 1	10	30 300 500 05 000 etrol injection 4 16 0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	205 6000 280 2400 Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	110 4000 260 1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	110 4000 250 1750 Diesel In Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	130 4000 320 1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104 / 106 60.1 / 60.1 4.7 / 4.7 78.5 / 76.4 3.6 / 3.7 70.6 / 68.9 4.0 / 4.1	165 4000 380 1750 Diesel Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
Asximum power - rpm 550 1 1 1 1 1 1 1 1 1	0 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	500 05 05 000 btrol injection 4 16 0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4	6000 280 2400 Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	4000 260 1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	4000 250 1750 Diesel on Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	4000 320 1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	4000 380 1750 Diesel Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4
Asximum Torque - Nm ISO	5 2 0 2:00 2:00 2:00 2:00 2:00 Prection Direct 2:00 Prection Direct 2:00 Prection 2:00	05 000 obtained a service of the s	280 2400 Petrol Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	260 1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	250 1750 Dissel Diesel on Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	320 1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	380 1750 Diesel Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
Maximum Torque (rpm) 200 vel Type Pet	0 2: 01 Prection Direct 6 1 97) 124 5 3 124 122 40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	000 etrol injection 4 16 0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	2400 Petrol Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	1750 Diesel Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	1750 Diesel n Common Rail Direct Injection 4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	1750 Diesel Common Rail Direct Injection 4 16 10 123 (198) 31.5 104 / 106 60.1 / 60.1 4.7 / 4.7 78.5 / 76.4 3.6 / 3.7 70.6 / 68.9 4.0 / 4.1	1750 Diesel Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
Pet Open	6 1 97) 124 6 3 124 122 40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	injection 4 16 0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	Multipoint 4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	Common Rail Direct Injectio 4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	Common Rail Direct Injection 4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	Common Rail Injectic 4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
10. of Cylinders	5 1 97) 124 5 3 3 124 122 40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	4 16 0.3 (199) 2.1 / 125 / 41.5 / 68 / 57.7 / 4.9 / 50.4 / 5.6	4 16 7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	4 8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	4 8 12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	4 16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	4 16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
Id. of Valves	6 1 97) 124 6 3 124 122 40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	8 11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	8 12.3 116 (187) 33.6 98/99 68.9/67.3 4.1/4.2 78.5/78.5 3.6/3.6 74.3/74.3 3.8/3.8	16 10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/764 3.6/3.7 70.6/68.9 4.0/4.1	16 8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
PERFORMANCE -62 mph - secs (0-100 km/h) 10 aximum Speed mph (km/h) 122 (5 1 97) 124 6 3 124 122 40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	0.3 (199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	7.1 143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	11.3 116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	12.3 116 (187) 33.6 98 / 99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	10 123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	8.8 133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
- 62 mph - secs (0-100 km/h) 10 laximum Speed mph (km/h) 122 (1 tanding 1000m in seconds 31 FUEL CONSUMPTION AND EMISSIONS' O, (g/km) (16" & 17" / 18") 120 / Irban cycle - mpg (16" & 17" / 18") 42.2 / Irban cycle - l/100 km (16" & 17" / 18") 67.7 xtra-urban cycle - mpg (16" & 17" / 18") 41.9 xtra-urban cycle - mpg (16" & 17" / 18") 52.3 / ombined cycle - mpg (16" & 17" / 18") 52.3 / ombined cycle - mpg (16" & 17" / 18") 52.3 / ombined cycle - mpg (16" & 17" / 18") 52.3 / ombined cycle - mpg (16" & 17" / 18") 52.3 / ombined cycle - mpg (16" & 17" / 18") 52.4 / SEARBOX Jumber of forward gears 6 Janual / Automatic Man BRAKING ype of braking system BS BD Tont Ø (mm) / width (mm) 280 / ear Ø (mm) / width (mm) 260 SUSPENSION ront ear STEERING Tower Assisted Unning Circle Between Kerbs (m) 11 WHEELS - TYRES tandard Wheel Size in inches 16 / 13	97) 124 5 3 124 122 40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	(199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	116 (187) 33.6 98/99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
Asximum Speed mph (km/h) 122 (Itanding 1000m in seconds 31	97) 124 5 3 124 122 40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	(199) 2.1 / 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	143 (230) 27.8 134 36.2 7.8 57.7 4.9 47.1 6	116 (187) 32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	116 (187) 33.6 98/99 68.9 / 67.3 4.1 / 4.2 78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	123 (198) 31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	133 (214) 29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
tanding 1000m in seconds 31 **CUEL CONSUMPTION AND EMISSIONS** O, (g/km) (16" & 17" / 18") 120 / 172 / 17	5 3 124 122 40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	/ 125 / 41.5 / 68 / 57.7 / 4.9 / 50.4 / 5.6	27.8 134 36.2 7.8 57.7 4.9 47.1 6	32.9 96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	33.6 98/99 68.9/67.3 4.1/4.2 78.5/78.5 3.6/3.6 74.3/74.3 3.8/3.8	31.5 104/106 60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	29.9 120 55.4 5.1 65.7 4.3 61.4 4.6
## Comparison of	124 122 40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	/ 125 / 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	134 36.2 7.8 57.7 4.9 47.1 6	96 / 101 68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9	98/99 689/67.3 4.1/4.2 78.5/78.5 3.6/3.6 74.3/74.3 3.8/3.8	104/106 60.1/60.1 4.7/4.7 78.5/764 3.6/3.7 70.6/68.9 4.0/4.1	120 55.4 5.1 65.7 4.3 61.4 4.6
D. (g/km) (16" & 17" / 18")	40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	/ 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	36.2 7.8 57.7 4.9 47.1 6	68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	68.9 / 67.3 4.1/4.2 78.5/78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	55.4 5.1 65.7 4.3 61.4 4.6
120	40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	/ 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	36.2 7.8 57.7 4.9 47.1 6	68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	68.9 / 67.3 4.1/4.2 78.5/78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	55.4 5.1 65.7 4.3 61.4 4.6
Irban cycle - mpg (16" & 17" / 18") 42.2 / rban cycle - l/100 km (16" & 17" / 18") 6.7 / rban cycle - l/100 km (16" & 17" / 18") 6.1.4 / rxtra-urban cycle - mpg (16" & 17" / 18") 4.6 / ombined cycle - mpg (16" & 17" / 18") 52.3 / ombined cycle - l/100 km (16" & 17" / 18") 52.3 / ombined cycle - l/100 km (16" & 17" / 18") 52.4 / long to cycle - l/100 km (16" & 17" / 18") 54.4 / long to cycle - l/100 km (16" & 17" / 18") 6.14 / long to cycle - l/100 km (16" & 17" / 18") 6.14 / long to cycle - l/100 km (16" & 17" / 18") 6.15 / long to cycle - long	40.9 41.5 6.9 6.8 60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	/ 41.5 / 6.8 / 57.7 / 4.9 / 50.4 / 5.6	36.2 7.8 57.7 4.9 47.1 6	68.9 / 64.2 4.1 / 4.4 80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	68.9 / 67.3 4.1/4.2 78.5/78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	60.1/60.1 4.7/4.7 78.5/76.4 3.6/3.7 70.6/68.9 4.0/4.1	55.4 5.1 65.7 4.3 61.4 4.6
Urban cycle - /100 km (16" & 17" / 18")	60.1 60.1 4.7 4.7 51.4 52.3 5.5 5.4	/ 57.7 / 4.9 / 50.4 / 5.6	57.7 4.9 47.1 6	80.7 / 78.5 3.5 / 3.6 76.4 / 72.4 3.7 / 3.9 6 Manual	78.5 / 78.5 3.6 / 3.6 74.3 / 74.3 3.8 / 3.8	78.5 / 76.4 3.6 / 3.7 70.6 / 68.9 4.0 / 4.1	65.7 4.3 61.4 4.6
Atra-urban cycle - mpg (16" & 17" / 18") 61.4 / Atra-urban cycle - l/100 km (16" & 17" / 18") 4.6 / Atra-urban cycle - l/100 km (16" & 17" / 18") 52.3 / Atra-urban cycle - mpg (16" & 17" / 18") 52.3 / Atra-urban cycle - l/100 km (16" & 17" / 18") 52.4 / Atra-urban cycle - l/100 km (16" & 17" / 18") 54.4 / Atra-urban cycle - l/100 km (18" / 18") 54.4 / Atra-urban cycle - l/100 k	4.7 4.7 51.4 52.3 5.5 5.4	/ 4.9 / 50.4 / 5.6	4.9 47.1 6	3.5/3.6 76.4/72.4 3.7/3.9 6 Manual	3.6/3.6 74.3/74.3 3.8/3.8	3.6/3.7 70.6/68.9 4.0/4.1	4.3 61.4 4.6
xtra-urban cycle - I/100 km (16" & 17" / 18") 4.6 / ombined cycle - mpg (16" & 17" / 18") 52.3 / ombined cycle - I/100 km (16" & 17" / 18") 5.4 / SEARBOX 5.4 / lumber of forward gears 6 fanual / Automatic Man BRAKING 9 ype of braking system 95 BS 80 BD cont Ø (mm) / width (mm) 280 / sear Ø (mm) / width (mm) 260 SUSPENSION 10 TOTEERING 11 Ower Assisted urning Circle Between Kerbs (m) 11 WHEELS - TYRES 16 / 17 tandard Wheel Size in inches 16 / 17	51.4 52.3 5.5 5.4	/ 50.4 / 5.6 7	47.1 6 7	76.4 / 72.4 3.7 / 3.9 6 Manual	74.3 / 74.3 3.8 / 3.8	70.6 / 68.9 4.0 / 4.1	61.4 4.6 6
ombined cycle - I/100 km (16" & 17" / 18") 5.4 / SEARBOX Jumber of forward gears 6 Annual / Automatic Man BRAKING ype of braking system JBB Pront Ø (mm) / width (mm) 280 Jear Ø (mm) / width (mm) 260 SUSPENSION Tont Jear Ø STEERING JONE STEERING JONE STEERING JONE STEELS STEELS JONE STEELS STEELS THELS - TYRES Landard Wheel Size in inches 16 / 13	5.5 5.4	7 5.6	6 7	3.7 / 3.9 6 Manual	3.8 / 3.8	4.0 / 4.1 6	4.6 6
SEARBOX Jumber of forward gears Janual / Automatic BRAKING SPAKING SPECIAL STATES BD John John John John John John John John		7	7	6 Manual	6	6	6
umber of forward gears BRAKING BRAKING Appe of braking system BS BD Cont Ø (mm) / width (mm) 280, ear Ø (mm) / width (mm) 260 SUSPENSION Front Front BE BD CONTROL CONTR	ual EDC	7 (Auto)	7 EDC (Auto)	Manual			
Anual / Automatic Manual /	ual EDC	7 (Auto)	7 EDC (Auto)	Manual			
SRAKING spe of braking system BS BD ront Ø (mm) / width (mm) 280, ear Ø (mm) / width (mm) 260 SUSPENSION ront ear STEERING ower Assisted urning Circle Between Kerbs (m) NHEELS - TYRES tandard Wheel Size in inches 16 / 1:	ual EDC	(Auto)	EDC (Auto)		EDC (Auto)	Manual	EDC (auto)
ype of braking system BS BD Pont Ø (mm) / width (mm) 280, ear Ø (mm) / width (mm) 260 SUSPENSION Front ear ETEERING Ower Assisted urning Circle Between Kerbs (m) VHEELS - TYRES tandard Wheel Size in inches 16 / 1:				Discs			
ype of braking system (BS BD ront Ø (mm) / width (mm) 280, rear Ø (mm) / width (mm) 260 SUSPENSION ront rear Pear STEERING Vower Assisted urning Circle Between Kerbs (m) MHEELS - TYRES tandard Wheel Size in inches 16 / 1:				Discs			
ABS ABS ABD							
FBD ront Ø (mm) / width (mm) 280 / Rear Ø (mm) / width (mm) SUSPENSION ront Rear STEERING Ower Assisted Furning Circle Between Kerbs (m) MHEELS - TYRES Standard Wheel Size in inches 16 / 17	-			Standard			
Rear Ø (mm) / width (mm) 260 SUSPENSION ront Rear STEERING Fower Assisted Fower includes Edween Kerbs (m) 11 WHEELS - TYRES Itandard Wheel Size in inches 16 / 17				Standard			
SUSPENSION Front Rear STEERING Ower Assisted Furning Circle Between Kerbs (m) MHEELS - TYRES Standard Wheel Size in inches 16 / 17) / 24	320 / 28	280 / 24	280 / 24	296 / 26	320 / 28
ront tear STEERING Sower Assisted fourning Circle Between Kerbs (m) NHEELS - TYRES tandard Wheel Size in inches 16 / 17	/8 26	0/8	290 / 11	260 / 8	260 / 8	260 / 8	290 / 11
ront tear STEERING Power Assisted Unrining Circle Between Kerbs (m) MHEELS - TYRES tandard Wheel Size in inches 16 / 17							
Rear STEERING Yower Assisted Trining Circle Between Kerbs (m) MHEELS - TYRES Itandard Wheel Size in inches 16 / 17			Pseudo Ma	ac Pherson with lower triangle	9		
ower Assisted urning Circle Between Kerbs (m) 11 WHEELS - TYRES itandard Wheel Size in inches 16/1:				c Pherson with lower triangle			
ower Assisted urning Circle Between Kerbs (m) 11 WHEELS - TYRES itandard Wheel Size in inches 16/1:				<u>, </u>			
Turning Circle Between Kerbs (m) 11 WHEELS - TYRES Standard Wheel Size in inches 16 / 1:			Flt-i	c with variable assistance			
WHEELS - TYRES tandard Wheel Size in inches 16 / 1:	7 1	1.2	10.4	11.2	11.2	11.2	11.2
tandard Wheel Size in inches 16 / 13	<u> </u>	1.4	10.4	11.2	11.2	11.2	11.2
		17 / 18	18	16 / 17 / 18	16 / 17 / 18	17 / 18	18
reference wheels (16" alloy wheels) J1		16		J16	J16		
deference tyres (16" alloy wheels) 205/5!		17		205/55 R16	205/55 R16	117	
deference wheels (17" alloy wheels) J1 deference tyres (17" alloy wheels) 205/50		17		J17 205/50 R17	J17 205/50 R17	J17 205/50 R17	
reference tyres (17" alloy wheels) 205/50 reference wheels (18" alloy wheels) J1		18	J18	205/50 RT/ J18	205/50 RT/ J18	J18	J18
Reference tyres (18" alloy wheels) 225/40			225/40 R18	225/40 R18	225/40 R18	225/40 R18	225/40/R18
pare wheel Inflatio			Inflation kit	Inflation kit	Inflation kit	Inflation kit	Inflation kit
			1000.001.000	eron me	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Gerori inc
TUEL TANK CAPACITY	27)	10.7)	EO (11)	47 (10.7)	47 (10.7)	47 (10.7)	47 (10.7)
uel tank capacity - Litres (Gallons) 47 (1	J.5) 4/I	10.3)	50 (11)	47 (10.3)	47 (10.3)	47 (10.3)	47 (10.3)
VEIGHT (KG) HATCH							
erb Weight (16" & 17" / 18") 1340 /	1352 1362	?-1373	1463	1387 / 1398	1415 / 1426	1429 / 1448	1,430
iross Vehicle Weight (16" & 17" / 18") 1801 /		/1834	1924	1848 / 1859	1876 / 1887	1890 / 1909	2,001
1aximum Gross Train Weight (16" & 17" / 18") 3101 /	3113 3123	/3134	3224	3148 / 3159	3176 / 3187	3490 / 3509	3,601
TOWING CAPACITY							
130 (Driver only) Towing weight = braked	0 1	300	1,300	1300	1300	1600	1600
13x (Driver only) Towing weight = braked (16" & 17" / 18") 640 /		6/670	730	640 / 685	690 / 695	695 / 720	750
Maximum load weight on roof 80		30	80	80	80	80	, 50
SERVICING INTERVALS							

*Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site www.rea.gov.uk. For more information on CO₂ banding and Company Car Tax Benefit in Kind go to www.renault.co.uk

Technical Specifications - Sport Tourer

SPORT TOURER	ENERGY TCe 130	ENERGY TCe 130 Auto	ENERGY TCe 205 Auto	ENERGY dCi 110	ENERGY dCi 110 Auto	ENERGY dCi 130	ENERGY dCi 165 A
ENGINE							
ingine type	H5Ft 408	H5Ft 408	M5MT	K9K 656	K9K 657	R9M 409	R9M 452
missions conformance	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6
/ith Particulate Filter (FAP)				FAP	FAP	FAP	FAP
duction Capacity (cc)	1198	1198	1618	1461	1461	1598	1598
ore x Stroke	72.2 x 73.1	72.2 x 73.1	79.7 x 81.1	76.0 x 80.5	76.0 x 80.5	80.0 x 79.5	80*79.5
laximum power - kw ISO	97	97	151	81	81	96	120
aximum Power - hp DIN	130	130	205	110	110	130	165
laximum power - rpm	5500	5500	6000	4000	4000	4000	4000
1aximum Torque - Nm ISO	205	205	280	260	250	320	380
1aximum Torque (rpm)	2000	2000	2400	1750	1750	1750	1750
uel Type	Petrol	Petrol	Petrol	Diesel	Diesel	Diesel	Diesel
njection type	Direct injection	Direct injection	Multipoint C	ommon Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Inje
o. of Cylinders	4	4	4	4	4	4	4
o. of Valves	16	16	16	8	8	16	16
						•	
PERFORMANCE							
- 62 mph - secs (0-100 km/h)	11	11.7	7.4	11.6	12.7	10.6	8.9
laximum Speed mph (km/h)	122 (197)	12 (197)	143 (230)	116 (187)	116 (187)	123 (198)	133 (214)
anding 1000m in seconds	32.4	32.3	27.8	33.1	34	32	29.9
UEL CONSUMPTION AND EMISSIONS*							
O ₂ (g/km) (16" & 17" / 18")	120 / 124	122 / 125	134	96 / 101	98 / 99	104 / 106	124
Irban cycle - mpg (16" & 17" / 18")	42.2 / 40.9	41.5 / 41.5	36.2	68.9 / 64.2	68.9 / 67.3	60.1 / 60.1	53.2
Irban cycle - I/100 km (16" & 17" / 18")	6.7 / 6.9	6.8 / 6.8	7.8	4.1 / 4.4	4.1 / 4.2	4.7 / 4.7	5.3
xtra-urban cycle - mpg (16" & 17" / 18")	61.4 / 60.1	60.1 / 57.7	57.7	80.7 / 78.5	78.5 / 78.5	78.5 / 76.4	64.2
xtra-urban cycle - I/100 km (16" & 17" / 18")	4.6 / 4.7	4.7 / 4.9	4.9	3.5 / 3.6	3.6 / 3.6	3.6 / 3.7	4.4
ombined cycle - mpg (16" & 17" / 18")	52.3 / 51.4	52.3 / 50.4	47.1	76.4 / 72.4	74.3 / 74.3	70.6 / 68.9	60.1
ombined cycle - I/100 km (16" & 17" / 18")	5.4 / 5.5	5.4 / 5.6	6	3.7 / 3.9	3.8 / 3.8	4.0 / 4.1	4.7
EARBOX							
lumber of forward gears	6	/ FDC (* :)	/ FDC (A :)	6	6	6	6
fanual / Automatic	Manual	EDC (Auto)	EDC (Auto)	Manual	EDC (Auto)	Manual	EDC (Auto)
BRAKING							
Type of braking system				Discs			
				Standard			
ABS EBD							
Front Ø (mm) / width (mm)	280 / 24	280 / 24	320 / 28	Standard	280 / 24	296 / 26	770/70
Rear Ø (mm) / width (mm)	260 / 8	260 / 8	290 / 11	280 / 24 260 / 8	260 / 8	296 / 26	320/28 290/11
	200 / 0	200 / 0	250 / II	200 / 0	200 / 0	200/0	290/11
SUSPENSION							
ront			Pseudo M	ac Pherson with lower trian	nle		
Rear				ac Pherson with lower trian			
			1 300001	ac i ilei soni wien lower en an	gio.		
STEERING							
Power Assisted			Electi	ic with variable assistance			
urning Circle Between Kerbs (m)	11.4	11.4	10.4	11.4	11.2	11.4	
WHEELS - TYRES							
tandard Wheel Size in inches	16 / 17 / 18	16 / 17 / 18	18	16 / 17 / 18	16 / 17 / 18	16 / 17 / 18	18
reference wheels (16" alloy wheels)	J16	J16		J16	J16	J16	
-f t (1CII -ll	205/55 R16			205/55 R16	205/55 R16	205/55 R16	
eference wheels (17" alloy wheels)	J17	J17		J17	J17	J17	
eference wheels (17" alloy wheels) eference tyres (17" alloy wheels)	J17 205/50 R17			J17 205/50 R17	J17 205/50 R17	205/50 R17	
Reference wheels (17" alloy wheels) Reference tyres (17" alloy wheels) Reference wheels (18" alloy wheels)	J17 205/50 R17 J18	J17 J18	J18	J17 205/50 R17 J18	J17 205/50 R17 J18	205/50 R17 J18	J18
teference wheels (17" alloy wheels) teference tyres (17" alloy wheels) teference wheels (18" alloy wheels)	J17 205/50 R17 J18 225/40 R18	J18	225/40 R18	J17 205/50 R17	J17 205/50 R17 J18 225/40 R18	205/50 R17 J18 225/40 R18	225/40 R18
leference wheels (17" alloy wheels) leference tyres (17" alloy wheels) leference wheels (18" alloy wheels) leference tyres (18" alloy wheels)	J17 205/50 R17 J18			J17 205/50 R17 J18	J17 205/50 R17 J18	205/50 R17 J18	J18 225/40 R18 Inflation kit
eference wheels (17" alloy wheels) eference tyres (17" alloy wheels) eference wheels (18" alloy wheels) eference tyres (18" alloy wheels) pare wheel	J17 205/50 R17 J18 225/40 R18	J18	225/40 R18	J17 205/50 R17 J18 225/40 R18	J17 205/50 R17 J18 225/40 R18	205/50 R17 J18 225/40 R18	225/40 R18
eference wheels (17" alloy wheels) eference tyres (17" alloy wheels) eference wheels (18" alloy wheels) eference tyres (18" alloy wheels) pare wheel **UEL TANK CAPACITY*	J17 205/50 R17 J18 225/40 R18 Inflation kit	J18 Inflation kit	225/40 R18 Inflation kit	J17 205/50 R17 J18 225/40 R18 Inflation kit	J17 205/50 R17 J18 225/40 R18 Inflation kit	205/50 R17 J18 225/40 R18 Inflation kit	225/40 R18 Inflation kit
eference wheels (17" alloy wheels) eference tyres (17" alloy wheels) eference wheels (18" alloy wheels) eference tyres (18" alloy wheels) pare wheel **UEL TANK CAPACITY**	J17 205/50 R17 J18 225/40 R18	J18	225/40 R18	J17 205/50 R17 J18 225/40 R18	J17 205/50 R17 J18 225/40 R18	205/50 R17 J18 225/40 R18	225/40 R18
eference wheels (17" alloy wheels) eference tyres (17" alloy wheels) eference wheels (18" alloy wheels) eference tyres (18" alloy wheels) pare wheel **UEL TANK CAPACITY* uel tank capacity - Litres (Gallons)	J17 205/50 R17 J18 225/40 R18 Inflation kit	J18 Inflation kit	225/40 R18 Inflation kit	J17 205/50 R17 J18 225/40 R18 Inflation kit	J17 205/50 R17 J18 225/40 R18 Inflation kit	205/50 R17 J18 225/40 R18 Inflation kit	225/40 R18 Inflation kit
eference wheels (17" alloy wheels) eference tyres (17" alloy wheels) eference wheels (18" alloy wheels) eference tyres (18" alloy wheels) pare wheel FUEL TANK CAPACITY uel tank capacity - Litres (Gallons) VEIGHT (KG) HATCH	J17 205/50 R17 J18 225/40 R18 Inflation kit	J18 Inflation kit 47 (10.3)	225/40 R18 Inflation kit 50 (11)	J17 205/50 R17 J18 225/40 R18 Inflation kit	J17 205/50 R17 J18 225/40 R18 Inflation kit	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	225/40 R18 Inflation kit 47 (10.3)
eference wheels (17" alloy wheels) eference tyres (17" alloy wheels) eference wheels (18" alloy wheels) eference wheels (18" alloy wheels) eference tyres (18" alloy wheels) pare wheel **CUEL TANK CAPACITY uel tank capacity - Litres (Gallons) **WEIGHT (KG) HATCH erb Weight (16" & 17" / 18")	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	J18 Inflation kit 47 (10.3)	225/40 R18 Inflation kit 50 (11)	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	225/40 R18 Inflation kit 47 (10.3)
teference wheels (17" alloy wheels) teference tyres (17" alloy wheels) teference wheels (18" alloy wheels) teference wheels (18" alloy wheels) teference tyres (18" alloy wheels) pare wheel **UEL TANK CAPACITY* uel tank capacity - Litres (Gallons) **VEIGHT (KG) HATCH terb Weight (16" & 17" / 18") ross Vehicle Weight (16" & 17" / 18")	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	J18 Inflation kit 47 (10.3) 1438-1449 1900/1911	225/40 R18 Inflation kit 50 (11) 1463 1924	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	225/40 R18 Inflation kit 47 (10.3) 1516/1593 2,055
Reference wheels (17" alloy wheels) Reference tyres (17" alloy wheels) Reference wheels (18" alloy wheels) Reference tyres (18" alloy wheels) Reference tyre	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1409 / 1422 1871 / 1884 3271 / 3274	J18 Inflation kit 47 (10.3) 1438-1449 1900/1911 3300/3311	225/40 R18 Inflation kit 50 (11) 1463 1924 3224	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1452/ 1463 1914/ 1925 3314/ 3325	J17 205/50 R17 J18 225/40 R18 225/40 R18 Inflation kit 47 (10.3) 1470/ 1481 1932/ 1943 3332/ 3343	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1490/1501 1952/1963 3652/3663	225/40 R18 Inflation kit 47 (10.3) 1516/1593 2,055 3,755
teference wheels (17" alloy wheels) teference tyres (17" alloy wheels) teference wheels (18" alloy wheels) teference tyres (18" alloy wheels) pare wheel FUEL TANK CAPACITY uel tank capacity - Litres (Gallons) MEIGHT (KG) HATCH erb Weight (16" & 17" / 18") faximum Gross Train Weight (16" & 17" / 18")	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	J18 Inflation kit 47 (10.3) 1438-1449 1900/1911	225/40 R18 Inflation kit 50 (11) 1463 1924	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3)	225/40 R18 Inflation kit 47 (10.3) 1516/1593 2,055
Reference wheels (17" alloy wheels) Reference tyres (17" alloy wheels) Reference wheels (18" alloy wheels) Reference tyres (18" alloy wheels) FUEL TANK CAPACITY Fuel tank capacity - Litres (Gallons) WEIGHT (KG) HATCH Kerb Weight (16" & 17" / 18") Reference tyres (18" alloy wheels) Reference tyres (18" alloy tyres (18" alloy tyres (18" alloy tyres (18" alloy tyres	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1409 / 1422 1871 / 1884 3271 / 3274	J18 Inflation kit 47 (10.3) 1438-1449 1900/1911 3300/3311	225/40 R18 Inflation kit 50 (11) 1463 1924 3224	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1452/ 1463 1914/ 1925 3314/ 3325	J17 205/50 R17 J18 225/40 R18 225/40 R18 Inflation kit 47 (10.3) 1470/ 1481 1932/ 1943 3332/ 3343	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1490/1501 1952/1963 3652/3663	225/40 R18 Inflation kit 47 (10.3) 1516/1593 2,055 3,755
Reference tyres (16" alloy wheels) Reference wheels (17" alloy wheels) Reference wheels (18" alloy wheels) Reference tyres (18" alloy wheels) Reference tyre	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1409 / 1422 1871 / 1884 3271 / 3274 685 / 695	J18 Inflation kit 47 (10.3) 1438-1449 1900/1911 3300/3311 695/705	225/40 R18 Inflation kit 50 (11) 1463 1924 3224 730	117 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1452/ 1463 1914/ 1925 3314/ 3325 700	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1470/ 1481 1932/ 1943 3332/ 3343 695/ 720	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1490/1501 1952/1963 3652/3663 730/740	225/40 R18 Inflation kit 47 (10.3) 1516/1593 2,055 3,755 750
Reference wheels (17" alloy wheels) Reference tyres (17" alloy wheels) Reference twheels (18" alloy wheels) Reference wheels (18" alloy wheels) Reference wheels FUEL TANK CAPACITY TUEL TANK CAPACITY TOWING CAPACITY TOWING CAPACITY TOWING CAPACITY Taloy wheels Towing weight = braked	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1409 / 1422 1871 / 1884 3271 / 3274 685 / 695	J18 Inflation kit 47 (10.3) 1438-1449 1900/1911 3300/3311 695/705	225/40 R18 Inflation kit 50 (11) 1463 1924 3224 730 1,300	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1452/ 1463 1914/ 1925 3314/ 3325 700	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1470/ 1481 1932/ 1943 3332/ 3343 695/ 720	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1490/ 1501 1952/ 1963 3652/ 3663 730/ 740	225/40 R18 Inflation kit 47 (10.3) 1516/1593 2,055 3,755 750
Reference wheels (17" alloy wheels) Reference tyres (17" alloy wheels) Reference wheels (18" alloy wheels) Reference wheels (18" alloy wheels) Reference tyres (18" alloy wheels) Fuel tank capacity - Litres (Gallons) WEIGHT (KG) HATCH (erb Weight (16" & 17" / 18") Forss Vehicle Weight (16" & 17" / 18") Maximum Gross Train Weight (16" & 17" / 18") Payload (16" & 17" / 18") TOWING CAPACITY Max (Driver only) Towing weight = braked Max (Driver only) Towing weight = unbraked (16" & 17" / 18")	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1409 / 1422 1871 / 1884 3271 / 3274 685 / 695	J18 Inflation kit 47 (10.3) 1438-1449 1900/1911 3300/3311 695/705	225/40 R18 Inflation kit 50 (11) 1463 1924 3224 730 1,300 730	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1452/ 1463 1914/ 1925 3314/ 3325 700	J17 205/50 R17 J18 225/40 R18 10flation kit 47 (10.3) 1470/ 1481 1932/ 1943 3332/ 3343 695/ 720	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1490/ 1501 1952/ 1963 3652/ 3663 730/ 740	225/40 R18 Inflation kit 47 (10.3) 1516/1593 2,055 3,755 750 1700 750
teference wheels (17" alloy wheels) teference tyres (17" alloy wheels) teference wheels (18" alloy wheels) teference wheels (18" alloy wheels) teference wheels (18" alloy wheels) pare wheel **UEL TANK CAPACITY uel tank capacity - Litres (Gallons) **MEIGHT (KG) HATCH erb Weight (16" & 17" / 18") tross Vehicle Weight (16" & 17" / 18") taximum Gross Train Weight (16" & 17" / 18") tayload (16" & 17" / 18") **TOWING CAPACITY Tax (Driver only) Towing weight = braked	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1409 / 1422 1871 / 1884 3271 / 3274 685 / 695	J18 Inflation kit 47 (10.3) 1438-1449 1900/1911 3300/3311 695/705	225/40 R18 Inflation kit 50 (11) 1463 1924 3224 730 1,300	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1452/ 1463 1914/ 1925 3314/ 3325 700	J17 205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1470/ 1481 1932/ 1943 3332/ 3343 695/ 720	205/50 R17 J18 225/40 R18 Inflation kit 47 (10.3) 1490/ 1501 1952/ 1963 3652/ 3663 730/ 740	225/40 R18 Inflation kit 47 (10.3) 1516/1593 2,055 3,755 750

*Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site www.vca.gov.uk. For more information on CO, banding and Company, Car Tax Benefit in Kind go to www.renaulic.co.uk

18,000 miles or 1 year whichever is the sooner






Shot of adrenalin

Elegant forms, classy lines, uncompromising choices, Renault Mégane has a daring expressive design and assertive style. Inspired, strengthened by a unique lighting signature, Renault Mégane invites you to get behind the wheel and rediscover real sensations. Adrenalin guaranteed.




The power of choice

Inside, the key words are quality and harmony. Generous cockpit, perfect finish, pleasure also involves the comfort of choice. You choose and Mégane adapts: "Eco", "Comfort", "Neutral", "Sport", "Personal", the MULTI-SENSE system configures your vehicle to meet your current desires. It controls both technical configurations (engine response, gear changes, variation in steering wheel effort, engine sound and on-board environment (tone of interior lighting, information displayed, colour of instruments). Is your mood sporty? Calm? Relaxed? Move from one driving experience to another. MULTI-SENSE, it's a bit like having several Méganes in one!









Intuitive technology

Central to the Mégane technology is an 8.7" portrait touchscreen*- one of the largest in its class. It's a capacitive touchscreen, which means it's easy to use. Simply drag, pinch, or swipe to navigate the same way you would a tablet or smartphone. After all, good technology makes life simpler, not more complicated.

The Mégane allows you to to customise a home screen by choosing the size and position of the maps, radio, favourite contacts, navigation and more. Voice control activated from the steering wheel provides even greater ease of use and safety while driving.

Take advantage of compatibility with Android Auto™ and Apple CarPlay™. You can now access selected smartphone apps^ from the R-Link 2 touchscreen multimedia system.

And when you have created the interior ambience to match your mood, thanks to the MULTI-SENSE system[†], engage the rich, acoustic experience delivered via the BOSE[®] premium sound audio system[‡].

7 high-performance speakers‡ create your own personal concert hall. High notes are crystal clear and the deep bass is delivered without distortion. It's a complete, immersive experience controlled via the touchscreen tablet or steering wheel controls.


^{*} Standard on GT Line

[†] Standard from Iconic

[‡] Optional from Iconic

[^] Compatibility: An Android phone running Android 5.0 (Lollipop), an iPhone no earlier than iPhone 5 & iOS7.1. Connecting a smartphone to access Android Auto™ and Apple CarPlay™ should only be done when the vehicle is safely parked. Drivers should only use the system when it is safe to do so and in compliance with the requirements of The Highway Code. Drivers should be aware of the potential of hands-free technology to distract a driver's attention from the road, preventing them from having full control of the vehicle.









Explore the pleasure of MULTI-SENSE

Exclusively fitted with the MULTI-SENSE system[†], Renault Mégane adapts the behaviour of your vehicle to your mood. Five modes for five unique driving experiences.



In **Neutral Mode**, Mégane adapts to a more relaxing atmosphere and allows you to enjoy the air conditioning at its full capacity.



In **Eco Mode**, you can make use of the energy-saving eco mode which reduces the steering wheel effort, the engine response, the EDC calibration and the air conditioning capacity.



In **Comfort Mode**, the steering effort is still low but the engine response is improved. You can use the air conditioning at its full capacity and the engine sound is enhanced.



In **Sport Mode**, you use all the features at their full capacity for a sportiest driving experience. The acceleration of the vehicle is quicker, the EDC gear-box ratios are reduced and generates a sensational sporting responsiveness for increased agility or stability. The steering gets heavier for more precise control.



In Perso Mode, you are free to choose the level of each feature to configure your vehicle to meet your current desires.

Enjoy this immersive light experience, whether in blue, red, green, sepia or purple, with the customisable digital dashboard featuring the most relevant driving information.



Increased safety

Drive with peace of mind! Renault Mégane is equipped with several driving assistance systems. Using intuitive and intelligent technologies, they support you on all your journeys, giving you day-to-day peace of mind.



Traffic sign recognition (1)

There are more and more road signs. It's not easy to catch every sign; let the camera handle it for you. If you exceed the authorised speed limit, a warning appears on the dashboard. All you have to do is adapt your driving.



Blind spot warning (3)

Expand your vision! New Renault Mégane is equipped with a system which detects the presence of any vehicle in the zone that your wing mirrors do not allow you to see. Active between 19 mph and 87 mph, the system alerts you straight away with a warning light.



Hands free parking (3)

Parallel parking with a flick of the wrist! Hands free parking helps you to identify the parking space configuration (parallel, diagonal or perpendicular), measures the available space and handles the manoeuvre. All you have to do is control the accelerator, brakes and gears. A genuine co-pilot by your side!



Adaptive cruise control (3)

Easily maintain the appropriate safe following distance between you and the vehicle in front. In order to adapt your speed, the adaptive cruise control is activated at between 31 mph and 87 mph. The system acts on the brakes when the distance is too short and on the accelerator when the road is clear again.



Active emergency braking system: (2)

This system alerts the driver if there is a risk of collision with the vehicle in front. If the driver reacts insufficiently or not at all, the brakes are activated to prevent or mitigate a collision.



Auto high/low beam: (1)

High beam automatically switches to low beam when the front camera detects other vehicles around and automatically switches back to high beam when nothing is detected around.



Lane departure warning: (1)

This system detects the lane in front of the vehicle with a camera and warns the driver audibly if they drift into another lane .



Safe distance warning: (2)

This system warns the driver about potential collision with another vehicle in front, if the distance between the vehicles is not safe.





Engines

Renault capitalises on know-how forged in competition to improve further the engines of Renault Mégane.



ENERGY dCi 110 The highest level of efficiency

The dCi 110 engine guarantees the lowest carbon footprint in the entire range. Its technological innovations, such as Stop & Start or the use of steel pistons, offer CO_2 emissions and fuel economy which are amongst the lowest in the segment: only 72.4 mpg in NEDC* cycle and $96q/km^*$ of CO_2 !

EDC Dual - Clutch gearbox

Full of technology, the EDC automatic gearbox with dual clutch transmission combines the comfort of an automatic gearbox with the responsiveness and fuel economy of a manual gearbox. With its 6 or 7 gears, depending on the engine chosen, it offers you flexibility, dynamism and reduced fuel consumption. What more could you ask?

ENERGY TCe 130 Absolute performance and comfort

Capable of 130 hp at 5,500 rpm and 205 Nm from 2,000 rpm, the TCe 130 engine offers you the same performance as a 2 litre atmospheric engine! Its direct injection and integrated turbocharger give it exceptional flexibility and responsiveness. Its capacity to operate at high speed without running out of energy gives you comfort and driving pleasure that are second-to-none. It is very quiet, and can be distinguished by its soft-edged sound. TCe 130: 51.4 mpg and 120 g/km* of CO₂

^{*}Figures are obtained for comparative purposes in accordance with EU Legislation and may not reflect real life driving results

EasyLife - Standard features

(h

PLAY





DAKOTA - 16" alloy wheels



Midnight Black Cloth upholstery



SAFETY & SECURITY

- ABS with EBD (Electronic Brake Distribution) and Emergency Brake Assist
- Airbag front passenger deactivation facility
- Airbags driver and front passenger two stage auto-adaptive
- Anti-drill door locks and ignition barrel
- Cruise Control and Speed limiter
- Deadlocking & immobiliser
- Eco mode
- ESP (Electronic Stability Programme) with ASR (Anti-Skid Regulation) and UCL (understeer logic control)
- Front fog lights
- Hill start assist
- Headrests Front Two height adjustable headrests
- Headrests Rear Three height adjustable headrests

- Insurance approved alarm (Thatcham category 1)
- ISOFIX points on outer rear seats
- LED DRL Daytime running lights
- Manual hand brake
- R.A.I.D. (Renault Anti Intruder Device) -Automatic locking of the doors & boot over 6mph
- Tyre Inflation Kit
- Tyre Pressure Monitor

EXTERIOR

- DAKOTA 16" alloy wheels
- Door handles body coloured
- Door mirrors Body coloured shell

INTERIOR

- Carbon Black cloth upholstery
- Central rear armrest with cup holder
- Front centre armrest with storage

- Heated rear screen
- Seats 3-seat rear bench
- Seats rear 60:40 split folding
- Tinted windows


COMFORT AND CONVENIENCE

- Automatic Dual Zone Climate Control
- Bluetooth Connectivity
- Fingertip audio system remote control
- Electric front & rear windows
- Exterior temperature indicator
- Hands free keycard
- Halogen headlights
- Lights boot, front footwell and rear door lighting
- Manual air conditioning
- Seat Driver height and lumbar adjustable
- Seat Passenger height and lumbar adjustable

- Socket Front 12v socket
- Steering wheel power assisted, height, rake and reach adjustable

CONNECTIVITY & SOUND SYSTEM

- R-Link 2 multimedia system: 7"touchscreen, FM/AM/DAB tuner, Bluetooth®* audio streaming and handsfree calls, USB and AUX sockets, voice control, vehicle applications
- Compatible with Apple CarPlay[™] & Android Auto[™] ^



ICONIC (additional equipment to Play)





FLORIDA - 17" diamond alloy wheels









SAFETY & SECURITY

- Automatic headlights and windscreen wipers
- Electronic parking brake
- Rear Parking sensors
- Visio system (lane departure warning, traffic sign recognition, automatic high/ low beam)

EXTERIOR

- FLORIDA 17" diamond alloy wheels
- Door mirrors Electrically adjustable, heated and folding
- Windows extra tinted rear and tailgate

INTERIOR

- Carbon Black synthetic leather and cloth upholstery
- Digital speedometer (7" TFT screen)

COMFORT AND CONVENIENCE

- Multisense system Ambient lighting and driving mode selector
- · Sun visor with illuminating mirror

CONNECTIVITY & SOUND SYSTEM

- R-Link 2 multimedia system:
 7" touchscreen, TomTom® LIVE services with Western European mapping,
 FM/AM/DAB tuner, Bluetooth®* audio streaming and hands-free calls,
 USB and AUX sockets, voice control, vehicle applications
- Arkamys 3D Sound 4 X 35W DAB Radio with Bluetooth®* and USB connection

GT LINE (additional equipment to ICONIC)





CALIFORNIA - 18" alloys wheels





Black cloth upholstery with silver stripes

EXTERIOR

- Door mirrors dark chrome shell
- Front body coloured GT bumper
- No fog lights
- Rear body coloured GT bumper with silver diffuser
- CALIFORNIA 18" alloys wheels

INTERIOR

- Black cloth upholstery with silver stripes
- Chrome door sill plates 'GT Line'
- Sport seats with integrated headrest
- Windows extra tinted rear and tailgate

COMFORT & CONVENIENCE

 8.7" touchscreen, TomTom® LIVE services with Western European mapping, FM/AM/DAB tuner, Bluetooth®* audio streaming and hands-free calls, USB and AUX sockets, voice control, vehicle applications

^{*}For compatible devices, please refer to https://www.renault.co.uk/services/multimedia/bluetooth-compatibility.html



GLACIER WHITE (1) 369



ARCTIC WHITE (3) QNC



MERCURY (2) D69



DUNE (2) HNP



DIAMOND BLACK (2) **GNE**



TITANIUM GREY (2) **KPN**



FLAME RED (3) NNP



COSMOS BLUE (2) **RPR**



STEEL BLUE (2) RQE



IRON BLUE (3) RQH

- (1) Non metallic paint
- (2) Metallic paint
- (3) Renault i.d. metallic paint

	Glacier White (369)	Arctic White (QNC)	Mercury (D69)	Dune (HNP)	Diamond Black (GNE)	Titanium Grey (KPN)	Flame Red (NNP)	Cosmos Blue (RPR)	Steel Blue (RQE)	Iron Blue (RQH)
Play	•	0	0	0	0	0	0	0	0	-
Iconic	•	0	0	0	0	0	0	0	0	-
GT-Line	•	0	0	-	0	0	0	-	0	0

^{• =} Standard (therefore no cost) O= Optional -= Not available. It should be noted that printing limitations do not permit the subtle paintwork shades on these pages to be shown with absolute accuracy.

EasyLife range - Wheels











DAKOTA

NEVADA

FLORIDA

CALIFORNIA

DAKOTA - 16" alloy wheels NEVADA - 17" alloy wheels

FLORIDA - 17" diamond cut alloy wheels CALIFORNIA - 18" diamond cut alloy wheels
 Play
 Iconic
 GT Line

 •

 o*

 •

 •

•= Standard (therefore no cost) O= Optional -= Not available * Part of the Look Pack







MIDNIGHT BLACK CLOTH UPHOLSTERY



CARBON BLACK CLOTH UPHOLSTERY



BLACK CLOTH UPHOLSTERY WITH SILVER STRIPES



ALCANTARA PACK + - TWO TONE BLUE AND GREY ALCANTARA UPHOLSTERY

Midnight Black Cloth upholstery

Carbon Black Cloth upholstery

Black cloth upholstery with silver stripes

Alcantara Pack + - Two tone blue and grey alcantara upholstery and heated front seats

Play	ICONIC	G1 Line
•	-	-
-	•	-
-	-	•
-	-	0

Experience your Mégane to the max with our accessory packages*

ROOF BOX URBAN LOADER (500L)

STANDARD BOOT LINER

STYLING PACK (CARBON LOOK)**








ALL-IN-ONE BOOT LINER

ROOF BARS





INDIVIDUAL ACCESSORIES

All-In One Boot Liner
Front parking sensors
Illuminated door sills

Mud flaps
Retractable tow bar
Rim bands

Roof bars
Rubber mats
Sport pedals

Standard Boot Liner
Wind deflectors
Swan neck tow bar

For prices, please refer to the Renault Car Price Guide available at your local dealer and on www.renault.co.uk.

SEPARATION GRILLE



RETRACTABLE TOW BAR



DASHCAM



ILLUMINATED DOOR SILLS



SPORT PEDALS



The Kenwood DRV-410 Dash Cam is a great addition for your added security and reassurance on the road. The on-board camera automatically starts recording as sson as the vehicle ignition is switched on. As video footage is now widely accepted and used for insurance claims, the dashcam is designed to give drivers peace of mind. The pack includes a GPS integrated dashboard camera with advanced driver assistance systems (ADAS) built-in and has full HD recording at 27 frames/sec.

ACCESSORY PACK

Pet Pack (Partition Grille, All-in-One Bootliner, Dog Water Bottle) Elegance Pack (Illuminated door sills, sport pedals)

The luxury of Leather

A luxurious leather interior complements the look and feel of the Renault Mégane. From the moment you open the door, experience the opulent styling and unmistakable aroma of real leather allowing you to enjoy the ultimate in style and exclusivity. The finest, hand selected hides are carefully crafted and fitted to all the front and rear seating, along with the door and central armrest. Enjoy the durability and supreme comfort of a luxury leather interior that matures, beautifies and shrugs off the wear and tear of everyday life.

Leather quality

Our designers use only the finest premium automotive grade hides that have been carefully hand selected for consistency of grain, tone and texture. The latest technology is then used to precision cut and stitch the leather for a supreme finish that will stand the rigours of time.

Content of the kit

The Leather Interior pack includes leather on front and rear seats and headrests, front central armrest and door inserts.

Choice of colours, colour of stitching

Choose between Midnight Blue, Saddle Brown, Dark Red or Cream Beige. The colours are brightened up by white stitching.

Artisan Leather Interior

You can take the personalisation of your Renault Mégane to the next level by selecting a colour or design from our premium Artisan range. Incorporating colours from the bespoke Artisan range along with a wide range of contrasting stitch colours gives you the opportunity to ensure that your Renault Mégane has its own individual style and character.

Availability

Leather interior is available only on Mégane Hatch Iconic.



BODY COLOURS

		Glacier White	Arctic White	Mercury	Dune	Titanium	Diamond Black	Cosmos Blue	Flame Red	Steel Blue
SS	Dark Red	✓	✓	✓	✓	✓	✓	✓	×	✓
뽀	Cream Beige	×	×	×	✓	✓	✓	✓	✓	✓
AT	Midnight Blue	✓	✓	✓	✓	✓	✓	✓	✓	✓
쁘	Saddle Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓



EasyLife range - Equipment and options

	Play	lconic	GT Line
SAFETY AND DRIVING ASSISTANCE			
SAFETY			
ABS with EBD (Electronic Brake Distribution) and Emergency Brake Assist	•	•	•
AEBS	-	0	0
Airbags - Curtain front and rear	•	•	•
Airbags - Deactivation of front passenger (for use with child seats)	•	•	•
Airbags - Driver's two stage auto -adaptive	•	•	•
Airbags - Front lateral	<u> </u>	<u> </u>	•
Airbags - Front passenger's two stage adaptive airbag Anti-drill door locks and ignition barrel	•	•	•
Automatic headlights and windscreen wipers	_		•
Blind spot warning	-	<u>~</u>	0
Cruise control with speed limiter	•	•	•
Electronic parking brake	-	•	•
ESP (Electronic Stability Programme) with ASR (Anti-Skid Regulation) and UCL (understeer logic control)	•	•	•
Front Fog lights	•	•	-
Front and rear towing rings	•	•	•
Full LED headlights		-	0
Halogen headlights Hands free parking	• -	• -	•
Hallos free parking Hill Start Assist		<u>-</u>	<u> </u>
I mil Jan Kassist Insurance approved (Category 1) alarm system and immobiliser	<u>.</u>		<u>`</u>
ISOFIX child seat anchorage points on rear outer seats	•	•	•
LED DRL - Daytime running lights	•	•	•
Power assisted steering	•	•	•
R.A.I.D. (Renault.Anti.Intruder.Device) auto closure >6mph	•	•	•
Rear Parking sensors	-	•	•
Rear parking camera with front and rear parking sensors	-	0	0
Seats - height adjustable front seatbelts with double pretensioners	•	•	•
Space-saving spare wheel Tyre Inflation Kit	<u>-</u>	-	0
Tyre Pressure Monitor	•	•	•
Visio System (lane departure warning, traffic sign recognition, automatic high/low beam)	_	•	•
EXTERIOR DESIGN			•
DAKOTA - 16" alloy wheels	•		
DANOTA - 10 alloy wheels NEVADA - 17" alloy wheels			-
FLORIDA - 17" diamond cut alloy wheels	-	•	-
CALIFORNIA - 18" diamond cut alloy wheels	-	-	•
Door mirrors - Body coloured shell	•	•	-
Door mirrors - Dark chrome shell	<u> </u>	<u>-</u>	•
Door mirrors - Electrically adjustable, heated and folding	-	•	•
Front body coloured GT bumper	-	-	•
Rear body coloured GT bumper Sunroof	-	- 0	•
INTERIOR DESIGN			
WINDOWS			
Electric front windows	•	•	•
Electric rear windows	•	•	•
Heated rear screen	•	•	•
Tinted windows Windows - extra tinted rear and tailgate	•	•	- •
	0		•
SEATING 3 height adjustable rear head restraints			
3-point inertia reel seatbelts	•	•	•
3-point meritar leer searbeits 3-sear rear bench	•	-	
50:40 split folding seats	•	•	•
Midnight Black Cloth upholstery	•		-
Carbon Black Cloth upholstery	-	•	-
Black cloth upholstery with silver stripes	-	-	•
Alcantara Pack + - Two tone blue and grey alcantara upholstery and heated front seats Black cloth upholstery with silver stripes	-	<u>-</u>	0
DIACK COLUMNOSIE V WITT SIVEL STILLES	-	-	•

 $[\]star$ = Available as part of the Look Pack $\star\star$ = Available as part of the Look Pack Premium

EasyLife range - Equipment and options continued

	Play	lconic	GT Line
SEATING CONTINUED	,		
Driver - lumbar adjustable seat	•	•	•
Driver - height and lumbar adjustable seat	.	<u>_</u>	
Fully adjustable front headrests	•	•	
Height adjustable front seat belts	•	•	•
STORAGE			
Front centre armrest with storage	•	•	•
DASHBOARD			
Daylight/nightlight rearview mirror	•	•	•
Display - Digital speedometer (7" TFT screen)	.	•	
"Driver and passenger seat belt undone" warning audible alert	-	•	•
"Door / Boot open" warning light	•	•	•
Auto-dimming rear-view mirror	-	-	0
Exterior temperature indicator	•	•	•
Low fuel level warning light	•	•	•
Oil level gauge	•	•	<u> </u>
Rear seat belt undone audible alert	•	•	<u> </u>
Rev-counter	•	•	<u>•</u>
Trip computer	•	•	
OPENINGS			
Chrome door sill plates - 'GT Line'	<u>-</u>	-	•
Door handles - body coloured Keycard - hands free	•	•	•
	•	<u> </u>	
HEATING AND VENTILATION			
Automatic Dual Zone climate control	•	<u>•</u>	<u> </u>
Heated rear windscreen Heating ducts to the feet of the rear passengers	•	•	•
Pealing ducts to the feet of the rear passengers Pollen filter	•	•	<u> </u>
INTERIOR LIGHTING			
Driver and front passenger reading lights Illuminated luggage compartment (on opening of boot)	•	•	<u>•</u>
interior courtesy light controlled by all 4 doors	•	<u> </u>	
Multisense system - Ambient lighting			
Rear courtesy lights	•	_	•
COMFORT & MULTIMEDIA		<u> </u>	
COMFORT			
Accessory power point	•	•	•
Integrated fuel filler cap	•	•	•
Leather steering wheel	•	•	•
Steering wheel - Rake and reach adjustable	•	•	<u> </u>
Sun visor with mirror without light	•	-	
Sun visor with mirror with light	-	•	•
MULTIMEDIA			
4 X 35W speakers with 3D sound	-	•	<u> </u>
BOSE® Energy Efficient Sound System: 7 speakers with a digital amplifier	-	-	0
Fingertip audio system remote control FM/AM/DAB tuner, 4x20W speakers, Bluetooth® audio streaming and hands-free calls, USB and AUX sockets	•	•	•
FM/MY/DAG Unier, 4x20w Speakers, bloecouth about a finite anial flat flat flat flat flat flat flat fl	•	<u>-</u>	<u>-</u>
	•	•	<u> </u>
R-Link 2 multimedia system: 7" touchscreen, FM/AM/DAB tuner, Bluetooth® audio streaming and hands-free calls, USB and AUX sockets, voice control, vehcile applications	•	-	-
R-Link 2 multimedia system: 7" touchscreen, TomTom® LIVE services with Western European mapping, FM/AM/DAB tuner, Bluetooth® audio streaming and hands-free calls, USB and AUX sockets, voice control, vehcile applications		•	-
R-Link 2 multimedia system: 8.7" touchscreen, TomTom® LIVE services with Western European mapping, FM/AM/DAB tuner, Bluetooth® audio streaming and hands-free calls, USB and AUX sockets, voice control, vehcile applications	-	0	•

^{• =} Standard (therefore no cost) o = Optional -= Not available

[^] Compatibility: An Android phone running Android 5.0 (Lollipop), an iPhone no earlier than iPhone 5 & iOS7.1. Connecting a smartphone to access Android Auto™ and Apple CarPlay™ should only be done when the vehicle is safely parked. Drivers should only use the system when it is safe to do so and in compliance with the requirements of The Highway Code. Drivers should be aware of the potential of hands-free technology to distract a driver's attention from the road, preventing them from having full control of the vehicle.



HATCH VERSIONS	CO ₂ (g/km)*	VED Year 1	Combined fuel consumption (mpg)*	HP	Benefit in kind [†]	Insurance group
Play TCe 130	120	£165.00	52.3	130	23%	14E
Play TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Play dCi 110	96	£145.00	76.4	110	21%	15E
Play dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
Iconic TCe 130	120	£165.00	52.3	130	23%	14E
Iconic TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Iconic dCi 110	96	£145.00	76.4	110	21%	15E
Iconic dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
GT Line TCe 130	124	£165.00	51.4	130	23%	14E
GT Line TCe 130 Auto EDC	125	£165.00	50.4	130	23%	14E
GT Line dCi 110	101	£165.00	72.4	110	21%	16E
GT Line dCi 110 Auto EDC	99	£145.00	74.3	110	21%	16E

SPORT TOURER VERSIONS	CO ₂ (g/km)*	VED Year 1	Combined fuel consumption (mpg)*	HP	Benefit in kind [†]	Insurance group
Play TCe 130	120	£165.00	52.3	130	23%	14E
Play TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Play dCi 110	96	£145.00	76.4	110	21%	15E
Play dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
Iconic TCe 130	120	£165.00	52.3	130	23%	14E
Iconic TCe 130 Auto EDC	122	£165.00	52.3	130	23%	14E
Iconic dCi 110	96	£145.00	76.4	110	21%	15E
Iconic dCi 110 Auto EDC	98	£145.00	74.3	110	21%	15E
GT Line TCe 130	124	£165.00	51.4	130	23%	14E
GT Line TCe 130 Auto EDC	125	£165.00	50.4	130	23%	14E
GT Line dCi 110	101	£165.00	72.4	110	21%	16E
GT Line dCi 110 Auto EDC	99	£145.00	74.3	110	21%	16E

^{*}Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site www.vca.gov.uk. For more information on CO₂ banding and Company Car Tax Benefit in Kind go to www.renault.co.uk 'TRenault UK Limited does not offer tax advice and recommends that all Company Car Drivers consult their own accountant with regards to their particular tax position.

EASYLIFE PACK

EasyLife Servicing Pack

For EasyLife Pack terms and conditions visit www.renault.co.uk/easylife.

EasyLife range - Key information



OPTIONS	Play	lconic	GT Line
Metallic paint	0	0	0
Renault i.d metallic paint - Arctic White & Flame Red	0	0	0
Renault i.d metallic paint - Iron Blue	-	-	0
8.7" touchscreen R-Link 2	-	0	•
Full LED headlights	-	=	0
16" DAKOTA alloy wheels	•	-	-
Emergency spare wheel	0	0	0
Emergency spare wheel (space saver)	-	=	0
Safety net*	0	0	0

^{*} Only available on Mégane Sport tourer

OPTION PACKS	Play	lconic	GT Line
Parking Pack - Front sensors, Rear parking camera	-	0	0
Parking Pack Premium - Hands Free Parking, 360° parking sensors and Blind spot warning (comes with rear parking camera on GT Line)	-	-	0
Safety Pack - Distance warning and AEBS	-	0	-
Safety Pack Premium - Adaptive cruise control, Distance warning and AEBS	-	-	0
Horizon Pack - Opening sunroof and Auto-dimming rear-view mirror	-	0	0
Alcantara Pack + - Two tone blue and grey alcantara upholstery and heated front seats	-	-	0
Look Pack - 17" NEVADA alloy wheels and extra tinted windows	0	-	-

^{• =} standard; o = optional; - = not available; † Not compatible with emergency spare wheel or space saver emergency spare wheel

ACCESSORIES

All-In One Boot Liner	Roof bars
Front parking sensors	Rubber mats
Illuminated door sills	Sport pedals
Mud flaps	Standard Boot Liner
Retractable tow bar	Wind deflectors
Rim bands	Swan neck tow bar


ACCESSORY PACK

Pet Pack (Partition Grille, All-in-One Bootliner, Dog Water Bottle)
Elegance Pack (Illuminated door sills, sport pedals)

EasyLife range - Dimension diagrams







ВС	OOT VOLUME (LITRES)	НАТСН	SPORT TOURER
Tot	al boot volume VDA (dm3)	384	521
Tot	al boot volume (litres)	434	580
Tot	al boot volume with rear seats folded VDA (dm3)	1247	1504
Tot	al boot volume with rear seats folded (litres)	n/a	1695
DI	MENSIONED DRAWING (MM)		
Α	Overall length	4359	4626
В	Wheelbase	2669	2712
c	Front overhang	919	919
D	Rear overhang	771	995
E	Front track	1591	1591
F	Rear track	1586	1586
G	Overall width without door mirrors	1814	1814
G1	Overall width with door mirrors	2058	2058
Н	Unladen height	1447	1457*
H1	Height with tailgate open (unladen)	2044	2038
J	Unladen boot sill height	750	601
K	Ground clearance	145	N/A
L	Knee room in 2nd row	179	216
М	Front elbow width	1418	1492
M1	Rear elbow width	1420	1412
N	Front shoulder width	1441	1441
N1	Rear shoulder width	1390	1377
P	Front height under roof, seat in medium position	886	886
Q	Rear height under roof, seat in medium position	866	871
Υ	Upper boot entrance width / maximum boot width	904	854
Y1	Lower boot entrance	1081	1036
Y2	Interior width between wheel arches	1111	1109
Z 1	Max. loading length with rear bench seat folded down	1582	1754
Z2	Loading length behind rear seats	469	950

^{*}with roof bars

EasyLife range - Technical Specifications



HATCH	ENERGY TCe 130	ENERGY TCe 130 Auto	ENERGY dCi 110	ENERGY dCi 110 Auto	
ENGINE					
Engine type	H5Ft 408	H5Ft 412	K9K 656	K9K 657	
Emissions conformance	Euro 6	Euro 6	Euro 6	Euro 6	
Vith Particulate Filter (FAP)	FAP	FAP	FAP	FAP	
nduction Capacity (cc)	1198	1198	1461	1461	
Bore x Stroke Maximum power - kw ISO	72.2 x 73.1 97	72.2 x 73.1 97	76.0 x 80.5 81	76.0 x 80.5 81	
1aximum Power - hp DIN	130	130	110	110	
1aximum power - rpm	5500	5500	4000	4000	
faximum Torque - Nm ISO	205	205	260	250	
laximum Torque (rpm)	2000	2000	1750	1750	
uel Type	Petrol	Petrol	Diesel	Diesel	
jection type	Direct injection	Direct injection	Common Rail Direct Injection	Common Rail Direct Injection	
o. of Cylinders o. of Valves	<u>4</u> 16	<u>4</u> 16	4 8	<u>4</u> 8	
	10	10		0	
ERFORMANCE					
62 mph - secs (0-100 km/h)	10.6	10.3	11.3	12.3	
aximum Speed mph (km/h)	122 (197)	124 (199) 32.1	116 (187)	116 (187)	
anding 1000m in seconds	31.6	52.1	32.9	33.6	
UEL CONSUMPTION AND EMISSIONS*					
D ₂ (g/km) (16" & 17" / 18")	120 / 124	122 / 125	96 / 101	98 / 99	
rban cycle - mpg (16" & 17" / 18")	42.2 / 40.9	41.5 / 41.5	68.9 / 64.2	68.9 / 67.3	
rban cycle - I/100 km (16" & 17" / 18")	6.7 / 6.9	6.8 / 6.8	4.1/4.4	4.1 / 4.2	
ktra-urban cycle - mpg (16" & 17" / 18")	61.4 / 60.1	60.1 / 57.7	80.7 / 78.5	78.5 / 78.5	
ktra-urban cycle - I/100 km (16" & 17" / 18") ombined cycle - mpg (16" & 17" / 18")	4.6 / 4.7 52.3 / 51.4	4.7 / 4.9 52.3 / 50.4	3.5 / 3.6 76.4 / 72.4	3.6 / 3.6 74.3 / 74.3	
ombined cycle - 11pg (16 & 17 / 18)	5.4 / 5.5	52.3 / 50.4	3.7 / 3.9	3.8 / 3.8	
•	5. 17 3.3	3.17 3.3	3.7 7 3.3	3.57 3.5	
EARBOX					
umber of forward gears	6 Manual	FDC (A++-)	6 Manual	6 EDC (Auto)	
anual / Automatic	Manual	EDC (Auto)	Manual	EDC (AULO)	
BRAKING					
ype of braking system	Discs				
BS	Standard				
BD	200 / 24		andard 200 / 24	300 / 34	
ont Ø (mm) / width (mm) ear Ø (mm) / width (mm)	280 / 24 260 / 8	280 / 24 260 / 8	280 / 24 260 / 8	280 / 24 260 / 8	
	200 / 0	20070	200 / 0	20070	
USPENSION					
ront	Pseudo Mac Pherson with lower triangle				
ear ear	Pseudo Mac Pherson with lower triangle				
TEERING					
ower Assisted			ariable assistance		
rning Circle Between Kerbs (m)	11.2	11.2	11.2	11.2	
VHEELS - TYRES					
andard Wheel Size in inches	16 / 17 / 18	16/17/18	16 / 17 / 18	16 / 17 / 18	
eference wheels (16" alloy wheels)	J16	J16	J16	J16	
eference tyres (16" alloy wheels)	205/55 R16		205/55 R16	205/55 R16	
eference wheels (17" alloy wheels)	J17	J17	J17	J17	
eference tyres (17" alloy wheels)	205/50 R17		205/50 R17	205/50 R17	
eference wheels (18" alloy wheels)	J18	J18	J18	J18	
eference tyres (18" alloy wheels) pare wheel	225/40 R18 Inflation kit	Inflation kit	225/40 R18 Inflation kit	225/40 R18 Inflation kit	
	ITITIALIUTI KIL	IIIIdtiOII KIL	ITITIALIUTI KIL	ITITIALIOTI KIL	
UEL TANK CAPACITY					
uel tank capacity - Litres (Gallons)	47 (10.3)	47 (10.3)	47 (10.3)	47 (10.3)	
/EIGHT (KG) HATCH					
rb Weight (16" & 17" / 18")	1340 / 1352	1362-1373	1387 / 1398	1415 / 1426	
oss Vehicle Weight (16" & 17" / 18")	1801 / 1813	1823/1834	1848 / 1859	1876 / 1887	
aximum Gross Train Weight (16" & 17" / 18")	3101 / 3113	3123/3134	3148 / 3159	3176 / 3187	
OWING CAPACITY					
ax (Driver only) Towing weight = braked	1300	1300	1300	1300	
lax (Driver only) Towing weight = braked 1ax (Driver only) Towing weight = unbraked (16" & 17" / 18")	640 / 660	665/670	640 / 685	690 / 695	
faximum load weight on roof	80	80	80	80	
-					
ERVICING INTERVALS		10,000 " "	1:1		
Service Intervals		18,000 miles or 1 yea	ar whichever is the sooner		

*Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site www.vca.gov.uk. For more information on CO₂ banding and Company Car Tax Benefit in Kind go to www.renault.co.uk

EasyLife range - Technical Specifications



SPORT TOURER	ENERGY TCe 130	ENERGY TCe 130 Auto	ENERGY dCi 110	ENERGY dCi 110 Auto	
ENGINE					
Engine type	H5Ft 408	H5Ft 408	K9K 656	K9K 657	
Emissions conformance	Euro 6	Euro 6	Euro 6	Euro 6	
With Particulate Filter (FAP)	1100	1100	FAP	FAP	
Induction Capacity (cc) Bore x Stroke	1198 72.2 x 73.1	1198 72.2 x 73.1	1461 76.0 x 80.5	1461 76.0 x 80.5	
Maximum power - kw ISO					
Maximum Power - hp DIN	130	130	110	110	
Maximum power - rpm	5500	5500	4000	4000	
Maximum Torque - Nm ISO	205	205	260	250	
Maximum Torque (rpm)	2000	2000	1750	1750	
Fuel Type	Petrol	Petrol	Diesel	Diesel	
Injection type No. of Cylinders	Direct injection 4	Direct injection 4	Common Rail Direct Injection 4	Common Rail Direct Injection 4	
No. of Cylinders No. of Valves	16	16	8	<u>4</u> 	
PERFORMANCE	11	11.7	11.5	17.7	
0- 62 mph - secs (0-100 km/h) Maximum Speed mph (km/h)	11 122 (197)	11.7 12 (197)	11.6 116 (187)	12.7 116 (187)	
Standing 1000m in seconds	32.4	32.3	33.1	34	
	J2				
FUEL CONSUMPTION AND EMISSIONS*					
CO ₂ (g/km) (16" & 17" / 18")	120 / 124	122 / 125	96 / 101	98 / 99	
Urban cycle - mpg (16" & 17" / 18")	42.2 / 40.9	41.5 / 41.5	68.9 / 64.2	68.9 / 67.3	
Urban cycle - I/100 km (16" & 17" / 18") Extra-urban cycle - mpg (16" & 17" / 18")	6.7 / 6.9 61.4 / 60.1	6.8 / 6.8 60.1 / 57.7	4.1 / 4.4 80.7 / 78.5	4.1 / 4.2 78.5 / 78.5	
Extra-urban cycle - mpg (16" & 17" / 18") Extra-urban cycle - I/100 km (16" & 17" / 18")	4.6 / 4.7	4.7 / 4.9	80.7 / 78.5 3.5 / 3.6		
Combined cycle - mpq (16" & 17" / 18")	52.3 / 51.4	52.3 / 50.4	76.4 / 72.4	74.3 / 74.3	
Combined cycle - I/100 km (16" & 17" / 18")	5.4 / 5.5	5.4 / 5.6	3.7 / 3.9	3.8 / 3.8	
GEARBOX					
Number of forward gears Manual / Automatic	6 Manual	EDC (Auto)	6 	6 EDC (Auto)	
·	I*Idliuai	EDC (AULU)	I*ldHuai	EDC (Autu)	
BRAKING					
Type of braking system			Discs		
ABS			andard		
EBD Front Ø (mm) / width (mm)	280 / 24	Sta	andard 280 / 24	280 / 24	
Rear Ø (mm) / width (mm)	260 / 8	260 / 8	260 / 8	260 / 24	
SUSPENSION					
Front			son with lower triangle		
Rear	Pseudo Mac Pherson with lower triangle				
STEERING					
Power Assisted			variable assistance		
Turning Circle Between Kerbs (m)	11.4	11.4	11.4	11.2	
WHEELS-TYRES					
Standard Wheel Size in inches	16 / 17 / 18	16 / 17 / 18	16 / 17 / 18	16 / 17 / 18	
Reference wheels (16" alloy wheels)	J16	J16	J16	J16	
Reference tyres (16" alloy wheels)	205/55 R16		205/55 R16	205/55 R16	
Reference wheels (17" alloy wheels)	J17	J17	J17	J17	
Reference tyres (17" alloy wheels)	205/50 R17	110	205/50 R17	205/50 R17	
Reference wheels (18" alloy wheels) Reference tyres (18" alloy wheels)	J18 225/40 R18	J18	J18 225/40 R18	J18 225/40 R18	
Spare wheel	Inflation kit	Inflation kit	Inflation kit	Inflation kit	
	IIIII IIII IIII	HHIGGOTTAL	HHIRIOTING	II III II	
FUEL TANK CAPACITY		77 (40.7)			
Fuel tank capacity - Litres (Gallons)	47 (10.3)	47 (10.3)	47 (10.3)	47 (10.3)	
WEIGHT (KG) HATCH					
Kerb Weight (16" & 17" / 18")	1409 / 1422	1438-1449	1452/ 1463	1470/ 1481	
Gross Vehicle Weight (16" & 17" / 18")	1871 / 1884	1900/1911	1914/ 1925	1932/ 1943	
Maximum Gross Train Weight (16" & 17" / 18")	3271 / 3274	3300/3311	3314/3325	3332/3343	
Payload (16" & 17" / 18")	685 / 695	695/705	700	695/ 720	
TOWING CAPACITY					
Max (Driver only) Towing weight = braked	1400	1400	1400	1400	
Max (Driver only) Towing weight = unbraked (16" & 17" / 18")	685 / 695	695/705	700	695/720	
Maximum load weight on roof	80	80	80	80	
SERVICING INTERVALS					
SERVICING INTERVALS					

*Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site www.vca.gov.uk. For more information on CO₂ banding and Company Car. Tax Benefit in Kind go to www.renaulit.couk

18,000 miles or 1 year whichever is the sooner

Renault Services

3 Years Warranty

Your vehicle is covered by a warranty package for up to 3 years from date of first registration (unlimited mileage during the first 24 months, followed by a further 1 year limited to a total mileage of 60,000). Your Renault Dealer is able to repair or replace without charge, parts that are found to have a material or assembly defect that is recognised by Renault. The paintwork warranty runs for 3 years and the anti-corrosion warranty for 12 years.

For Warranty Terms and Conditions please visit www.renault.co.uk/warranty

3 Years Roadside Assistance

Should you need it, we'll provide emergency roadside repairs or tow you to the nearest Renault Dealer. This service is available 24 hours a day and is provided for 36 months from the date of first registration. Assistance is provided within the UK & Northern Ireland only at roadside, home and includes national recovery and onward travel. Renault Assistance applies to mechanical or electrical defects which are covered by warranty.

For Renault Assistance Terms and Conditions please visit www.renault.co.uk/assistance

EasyLife Pack - £299*

Renault's EasyLife Pack is the ultimate package to provide care free servicing for the first 3 years or 30,000 miles (which ever is sooner). It really is the hassle free way to take care of our Renault and benefits from;

- Inflation Proof Servicing You know exactly what you'll pay and there are no hidden costs
- Peace of Mind No matter where life takes you, we'll be there in over 5000 workshops across Europe
- Renault Expertise & Quality Our highly trained technicians know your Renault inside out

The EasyLife Pack contains Renault services in-line with the manufacturer's service schedule, plus comes with a complimentary vehicle health check to ensure your Renault is in the best condition possible.

Finance options**

There are a wide variety of ways in which the purchase of a new vehicle can be financed. Renault Finance offers all of them, so whether you're a fleet buyer or private buyer, Renault Finance is ideally placed to tell you which plan or combination of plans best suits your needs and circumstances.

Renault car insurance option¹

A car as well designed as your Renault deserves an insurance policy to match. Renault Insurance comes with a 5 Star Defaqto^ rating and has been specifically created to provide superb protection for you and your car. In addition to a very competitive premium, Renault Insurance also includes: Renault approved parts fitted in Renault Accident Repair Centres, protecting your 12 year anti-corrosion warranty; repairs guaranteed for 3 years; a courtesy car for the duration of any repairs - subject to availability when you use an approved repairer; payment by instalments - subject to status.

Renault car insurance:

0330 102 8833[†]

www.renaultcarinsurance.co.uk

Lines are open Monday - Thursday 8.30am - 7.30pm, Friday 9am - 6pm, Saturday 9am - 5pm.

Renault iCare

Is an innovative Service, Maintenance & Repair product that supplies Business customers with a fully supported, managed hassle free service and maintenance package.

Renault iCare is a "Pay-As-You-Go" product that insures your vehicle is maintained by Renault technical experts when work is required.

iCare provides the following benefits:

- Full Service, Maintenance & Repair cover in the Renault Dealer Network
- Tyres can be included within the contract at an additional fixed cost
- Ancillary equipment can also be included (at an additional fixed monthly cost)
- Excludes: Damage/Neglect/Abuse/Glass & Bulbs

- · A fixed, pre agreed pence per mile rate
- No excess mileage charges at the end of the contract
- · No pooled mileage administration
- · Minimalise downtime

For more information and to obtain a quote based on your requirements, please speak to your local Renault Business dealer or visit www.renault.co.uk/icare

Customer Relations

Renault knows the value of communicating with its customers and we have established effective ways to keep in touch with you. If after speaking to your local Renault dealership you are not completely satisfied, please contact the Renault UK Customer Relations Department on 0344 3350000¹ (Mon-Fri 9.00am to 5.30pm, except Weds 10.00am to 5.30pm. Closed on Bank Holidays). You can also visit our website www.renault.co.uk or write to us at: Renault UK Ltd, The Rivers Office Park, Denham Way, Maple Cross, Rickmansworth, Hertfordshire, WD3 9YS.



*For EasyLife Pack terms and conditions visit www.renault.co.uk/easylife. EasyLife Pack is available for vehicles, excluding ZOE and LCV (including Trafic Passenger and Master Combi) ordered from 3rd July. **Finance provided by Renault Finance, PO. Box 149, Watford, WD17 1FJ. Guarantees and indemnities may be required. You must be at least 18 and a UK resident (excludes Isle of Man and Channel Islands) to apply. Subject to status, terms and conditions apply. *Calls to 0.33 on unbers are free if used as part of your inclusive mobile minutes and are drafted at local rates from landlines. *Defaqto is an independent researcher of financial products. *Renault Insurance is provided by Original Insurance Services Ltd, registered in England and Wales No. 05686831 at Batchworth House, Church Street, Rickmansworth, Hertforkine, WD3 11E and is authorised and regulated by the Financial Conduct Authority, It is underwritten by Allianz Insurance plc, registered in England No. 84638 at 57 Ladymead, Guildford, Surrey,GU1 1DB. Allianz Insurance plc is authorised by the Prudential Regulation Authority and regulated by the Financial Conduct Authority and Valymorthy England Survey (company number 82932), registered at The Rivers Office Park, Denham Way, Maple Cross, Rickmansworth, Hertforshire, WD3 9YS.

Continue the Renault Mégane experience at **www.renault.co.uk**

Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Renault U.K. reserves the right to modify its models without notice, including their characteristics, specifications, equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given or the photos displayed. It is therefore necessary to check with your Renault Dealer before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised.

Renault recommends **elf**

Prodigious

Photo credits: © Renault Marketing 3D-Commerce, A. Bernier, R. Ritchter, S. Agnetti, O. Banet, D. Meunier – Printed in EC – 7701 380 821 – 2 July 2018